



MSSales

SUMMER 2023 CATALOG



MANUFACTURERS REPRESENTATIVE Providing the highest quality products for the rental and construction industry



**4032 MCCONNELL DRIVE
BURNABY, BC
V5A3A8**



**604 - 668 - 3850
1(800) - 451 - 2537
ADMINMS@TELUS.NET**



**MSSALESLTD.CA
1(800)-451-2537
604-668-3850**

**Felix Pasqua
felixms@telus.net
604 - 351 - 9491**

**Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850**

**Drew Wood
drewms@telus.net
604 - 760 - 9120**

**Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104**

**Ken Hansen
kenhansen2@me.com
403 - 280 - 9886**



LED LIGHTING

LED CARTLIGHTS

- 7309—5-10 ft mast, 22,000 Lumens
- 7322—5.5-12 ft mast, 44,000 Lumens (2 x 22,000)
- 200 watts @ 120V = 1.7 amp draw, 110% Efficient Drives
- 12' 18/3 SJTW Power Cord with NEMA 5-15P
- ETL/cETL for Wet Locations

MODEL	DESCRIPTION
7309	Single Head Cart Light 22,000 Lumens
7300HA	Single Head Fixture Only 22,000 Lumens
7322	Double Head Cart Light 44,000 Lumens
7300DHA	Double Head Fixture Only 44,000 Lumens

LED PORTABLE LIGHT STANDS

MODEL	DESCRIPTION
9270	8,000 Lumen Wing Work Light W Tripod
9750	7' 50W 5,500 Lumen Single Head
9842	10' Double Head 11,000 Lumen 200 Watt
9822	24,000 Lumen Led Balloon Light

LED HIGH BAY LIGHTS

MODEL	DESCRIPTION
CL60LEDG2	60W, 7200 Lumen, 18/3 SJTW
CL100LEDG2	100W, 12,000 Lumen, 18/3 SJTW
CL120LED	120W 14000 Lumen, 16/3 SJTW
CLM150LED	150W 19500 Lumen, 18/3 SJTW

LED PORTABLE WORK LIGHTS

MODEL	DESCRIPTION
9125	50W 5500 Lumen Magnetic Back
6125I	Rechargeable Battery Work Light With Stand
7220	3800 Lumen H.D. Stubby Light
7270	35W 3500 Lumen Led Stubby Light
9220	8000 Lumen Wing Style Work Light
9270	8000 Lumen Wing Style Work Light W/Tripod

LED WOBBLELIGHT®

MODEL #	DESCRIPTION
111208	Wobblelight® 25 6000 Lumens
111211	Wobblelight® 27 10000 Lumens
111303LED	Wobblelight® 220W LED - 15000 lumens
111301LED	Wobblelight® 150W LED - 12000 lumens



Prices subject to change without notice, call for quotes. Prices in **CDN**





LED LIGHTING

LED LIGHT STRINGS

MODEL	DESCRIPTION
97135	50' - 18/2 STW, 4,500 Lumen LED String Light
97132	100' - 18/2 STW, 9,000 Lumen LED String Light
7164SW	50' - 14/3, 4,000 Lumen, LED String Light
7165SW	100' - 14/3, 8,000 Lumen, LED String Light
7174SW	50' LED String Light 18/3 SJTW power supply cord
7175SW	100' LED String Light 18/3 SJTW power supply cord

U-GROUND LIGHT STRINGS AND ACCESSORIES

MODEL	DESCRIPTION
95135	50' Plastic Guard 12/3 STW Vinyl Light String w/5 Outlets
95137	50' Metal Guard 12/3 STW Vinyl Light String w/5 Outlets
95132	100' Plastic Guard 12/3 STW Vinyl Light String w/10 Outlets
95133	100' Metal Guard 12/3 STW Vinyl Light String w/10 Outlets
111413	Plastic Guards
111414	Metal Guards
5910	1000W Metal Halide - BT-37 Metal Halide Elipitical

ACCESSORIES

PLUGS / ADAPTERS / GFCI CORDSETS

MODEL	SW PART #	DESCRIPTION
1444G2	30040008-6	' 12/3 15A Female Straight Blade
1446	90218802	12" 12/3 15A Female Straight Blade Connector
1447	90208802	12" 12/3 20A Female Twist Connector
1479	90198802	A 12/3 UG 15A
8312	4112SW8802	12/3 24" UG TO UG RECEPT
5266MA	5266MA	U-Ground Marincos 5-15 Straight Blade - Male
5269MA	5269MA	U-Ground Marincos 5-15 Straight Blade - Female
515-P	59840000	Economy 15A - 115V Male
515-C	59850000	Economy 15A - 115V Female



20 AMP 125V TWIST LOCK

70520NP	59860000	20A 125V	TL MALE
70520NC	59870000	20A 125V	TL FEMALE

30 AMP 125V TWIST LOCK

70530NP	59620000	30A 125V	TL MALE
70530NC	59630000	30A 125V	TL FEMALE

30 AMP 250V TWIST LOCK

70630NP	59640000	30A 250V	TL MALE
70630NC	59650000	30A 250V	TL FEMALE



20 AMP 250V TWIST LOCK

70620NP	20A 250V	TL MALE
70620NC	20A 250V	TL FEMALE

20 AMP 125V/250V TWIST LOCK

71420NP	20A 125/250V	TL MALE
71420NC	20A 125/250V	TL FEMALE

30 AMP 125V/250V TWIST LOCK

71430NP	30A 125/250V	TL MALE
71430NC	30A 125/250V	TL FEMALE



Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

\$2000 CDN NET PREPAID



Southwire®

EXTENSION CORDS



**CUSTOM
CORDS
AVAILABLE**



2487SW8804



2588SW0002



4187SW8802



1687SW0002



3205



6415

THREE CONDUCTOR - LIGHTED END

PART #	LEN.	DESCRIPTION	PACK
2487SW8804	25 ft.	14/3 SJTW Ext Cord Lighted End (Red)	12
2488SW8804	50 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2489SW8804	100 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2587SW8802	25 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	12
2588SW0002	50 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	6
2589SW0002	100 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	4
2687SW0002	25 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	6
2688SW0002	50 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	4
2689SW0002	100 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	3

THREE-WAY POWER BLOCK WITH LIGHT END

PART #	LEN.	DESCRIPTION	PACK
4187SW8802	25 ft.	12/3 SJTW Three-Way Block W/ Light End (Yellow)	12
4188SW8802	50 ft.	12/3 SJTW Three-Way Block W/ Light End (Yellow)	6
4189SW8802	100 ft.	12/3 SJTW Three-Way Block W/ Light End (Yellow)	4

POLAR/SOLAR EXTENSION CORDS

PART #	LEN.	DESCRIPTION	PACK
1487SW0002	25 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1488SW0002	50 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1489SW0002	100 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1687SW0002	25 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1688SW0002	50 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1689SW0002	100 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1787SW0002	25 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1788SW0002	50 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1789SW0002	100 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	3

SPEC GRADE CORDSETS

PART #	LEN.	DESCRIPTION	PACK
3101	100 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3105	50 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3201	100 ft.	12/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3205	50 ft.	12/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
1030	100 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
1035	50 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
6415	50 ft.	50' 10/4 30A 125/250V (L14-30) DEVICES	1
6410	100 ft.	100' 10/4 30A 125/250V (L14-30) DEVICES	1

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886



TEMP POWER

X-TREME BOX™ DISTRIBUTION BOXES

MODEL DESCRIPTION

6506UGSX	50A TEMP PWR BOX 6-STRAIGHT BLADE SLED BASE
8706UGCX	50A TEMP PWR BOX 6-STRAIGHT BLADE ROLL CAGE BASE
6508UGSX	50A 125/250V 4-OUTLET 20A UG BOX
6534UGSX	30A 125/250V 4-OUTLET 20A UG BOX
6532UGMX	30A 125/250V 8 OUTLET 20A UG GFCI MINI BOX
6522UGMX	20A 125/250V 8 OUTLET 20A UG GFCI MINI BOX
6066GUSF-254	200A 120/208V CAM SS W/FRAME 4-50A 125/250V (CS6369)



X-TREME BOX™ POWER DISTRIBUTION CORDS AND CONNECTORS

MODEL LEN. DESCRIPTION

6410MC	10'	10' 6/4 cULus SEOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19370008	25'	25' 6/3 - 8/1 cULus SEOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19380008	50'	50' 6/3 - 8/1 cULus SEOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19390008	100'	100' 6/3 - 8/1 cULus SEOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
LIV18240008	10'	10' 30A 125/125V (14-30P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18340008	10'	10' 50A 125/125V (14-50P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18540008	10'	10' 30A 125/125V (14-30P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR
18640008	10'	10' 50A 125/125V (14-50P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR

PLUGS

MODEL	BRAND	DESCRIPTION
6365M	Marinco	50A 125/250V 3PH PLUG 3P4W California Twist
6364M	Marinco	50A 125/250V 3PH CONNECTOR 3P4W California Twist
59740000	Bryant	50A 125/250V 3PH PLUG 3P4W California Twist
59750000	Bryant	50A 125/250V 3PH CONNECTOR 3P4W California Twist



3-PHASE POWER CARTS

MODEL	DESCRIPTION
6210DC	100 AMP 120/208V DIRECT WIRE INPUT 10-20A 125V 5-20R
6212DC	100 AMP 120/208V DIRECT WIRE INPUT 4- 50A 125/250V 2- 20A 125V
6220CC	200 AMP 120/208V CAM TYPE INPUT 6- 50A 125/250V 2- 20A 125V



Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
 felixms@telus.net
 604 - 351 - 9491

Cassandra MacDonald
 adminms@telus.net
 604 - 668 - 3850

Drew Wood
 drewms@telus.net
 604 - 760 - 9120

Bill Beaumont
 billmssales@gmail.com
 780 - 399 - 6104

Ken Hansen
 kenhansen2@me.com
 403 - 280 - 9886

SUMNER

A Southwire Company

Galvanized versions available

LIFTS

MODEL #	STOCK#	DESCRIPTION
2010	783700	2010 Material Lift (10'/1000 lbs.)
2015	783701	2015 Material Lift (15'/800 lbs.)
2020	783702	2020 Material Lift (20'/800 lbs.)
2025	783703	2025 Material Lift (25'/650 lbs.)
2012S	786383	2012S Short Stack Lift (12'/800lbs.)
2016S	786382	2016S Short Stack Lift (16'/800lbs.)
2112	783650	2112 Contractor Lift (12'/650 lbs.)
2118	783651	2118 Contractor Lift (18'/650 lbs.)
2124	783652	2124 Contractor Lift (24'/650 lbs.)
2210	787310	2210 Lil' Hoister (10'/300 lbs.)
2412	784750	2412 Contractor Lift (12'/400lbs.)
2416	784751	2416 Contractor Lift (16'/450lbs.)
2615	783067	2615 The Big Lift, 15' 1100 lbs
2311 KIT	710010	2311 LIFT, DRYWALL W/CART
2315 KIT	710011	2315 LIFT, DRYWALL W/CART

2015

2114

2615

2311KIT

GH2T

GANTRY CRANE

MODEL #	STOCK#	DESCRIPTION
GH 3/4 T	785307	8 x 8 8' beam ADDITIONAL
GH 2 T	785103	8 x 8 8' beam LENGTHS
GH 5 T	785806	12 x 12 12' beam AVAILABLE

CHAIN BLOCK HOISTS

DESCRIPTION	PART #
20'1T CHAIN HOIST LIFT SUMNER	787410
20' X1X1/2 T CHAIN HOIST SUMNER	787414
20' 2T CHAIN HOIST LIFT SUMNER	787418
20' 3T CHAIN HOIST LIFT SUMNER	787422
1/2T Chain Hoist 15' LIFT	787405
1T Chain Hoist 15' LFT	787409
1-1/2T Chain Hoist 15'	787413
2T Chain Hoist 15' LIFT	787417
3T Chain Hoist 15' LIFT	787421
1/2T Chain Hoist 20' LFT&OLP	787446
20' 1T CHAIN HOIST LFT AND OLP SUMNER	787450
1-1/2T Chain Hoist 20' LFT&OLP	787454
2T Chain Hoist 20' LFT&OLP	787458
3T Chain Hoist 20' LFT&OLP	787462

LEVER TYPE HOISTS WITH OVERLOAD PROTECTION

DESCRIPTION	PART #
20' 1T LEVER HOIST LFT AND OLP SUMNER	787515
10' 1/2T LEVER HOIST SUMNER	787540
10' 1/2T CHAIN HOIST SUMNER	787558
20' 1/2T CHAIN HOIST SUMNER	787560
20' 1T CHAIN HOIST SUMNER	787564
20'X1X1/2T CHAIN HOIST SUMNER	787568
20' 2T CHAIN HOIST SUMNER	787572
20' 3T CHAIN HOIST SUMNER	787576
20' 1T LEVER HOIST SUMNER	787487



Chain Hoist



Lever Hoist

Prices subject to change without notice, call for quotes. Prices in **CDN** dollars. Stocked in Vancouver, Ontario & USA



BOMAG

FAYAT GROUP

COMPACTION EQUIPMENT

SOIL PLATE COMPACTORS - SINGLE DIRECTION

MODEL	PLATE W X L	WEIGHT	CENT. FORCE	ENGINE
BVP 10/30	12 x 20	104 lbs	2250 lbs	3 HP Honda GX100
BVP 12/50A	20 x 21	159 lbs	2700 lbs	4 HP Honda GX120
Asphalt c/w Water Tank				
BVP 10/36	14 x 22	183 lbs	2250 lbs	4 HP Honda GX120
BVP 18/45	18 x 22	201 lbs	4050 lbs	5HP Honda GX160
BP 25/50	20 x 21	238 lbs	5620 lbs	5 HP Honda GX160

WHEEL KIT & WATER TANK OPTIONS AVAILABLE

REVERSIBLE PLATE COMPACTORS

MODEL	PLATE W X L	WEIGHT	CENT. FORCE	ENGINE
BPR 25/40	16 X 26	245 lbs	5620 lbs	5 HP Honda GX 160
BPR 35/60	24 X 30	500 lbs	7868 lbs	5 HP Honda GX 160
BPR 45/45	26 X 35	742 lbs	10296 lbs	8 HP Honda GX
BPR 50/55 D/E	30 X 35	882 lbs	11250 lbs	9 HP Hatz 1840
★ BPR 60/65	26 X 35	950 lbs	13500 lbs	13 HP Honda GX390
BPR 60/65 D/E	26 X 35	1038 lbs	13500 lbs	9 HP Hatz 1840
BPR 70/70 D/E	34 X 39	1276 lbs	15736 lbs	12 HP Hatz 1D81

TAMPERS - 4 STROKE HONDA ENGINE

MODEL	PLATE W X L	WEIGHT	CENT. FORCE	ENGINE
BT 50	9 x 11	116 lbs	3222 lbs	3.8 HP Honda GXR120
BT 60	11 x 9	128 lbs	3372 lbs	3 HP Honda GXR120
BT 65	11 x 13	150 lbs	3822 lbs	4 HP Honda GXR120

NEW 1000lb GAS MODEL SAME CENTRIFUGAL FORCE FOR THOUSANDS LESS!

WALK BEHIND ROLLERS

MODEL	WIDTH	WEIGHT	CENT. FORCE	ENGINE
BW 55 E	22"	355 lbs	2250 lbs	3.4 HP Honda GX120
BW 65H D/E	26"	1638 lbs	4950 lbs	8.3 HP Hatz 1D 42

TRENCH ROLLERS

MODEL	WIDTH	WEIGHT	CENT. FORCE	ENGINE
BMP 8500	33.5"	3622 lbs	8000/16000	19.4 HP KUBOTA D1005

RIDE - ON DOUBLE DRUM ROLLERS

MODEL	WIDTH	WEIGHT	CENT. FORCE	ENGINE
BW 900-50	36"	2539 lbs	3395 lbs	20 HONDA GX 630
BW 90 AD 5	36"	3527 lbs	3822 lbs	20.2 HP KUBOTA D902

RIDE - ONE SINGLE DRUM ROLLERS

48" BW124 DH-5 56" BW145 D-5 66" BW177 D-5 84" BW211 D-5



BVP 10/30



BVP 18/45



BPR 60/65



BT 50



BMP 8500



BW 900-50



BW211 D-5



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

SUBMERSIBLE DEWATERING PUMPS

Part #	Description	GPM
LB-480	2"Discharge,2/3HP,110V,6.2 amps	63
LB-480A	2"Discharge,2/3HP,110V,6.2 amps (Automatic)	63
LB-800	High Head, 2"Discharge,1HP,110V,11.5 amps	80
LB-800A	High Head, 2"Dis.1HP,110V,11.5 amps (Automatic)	80
LB-1500	2-3"Discharge,2HP,110/220V,26.2/12.7 amps	69
NK2-15	3"Discharge,2HP,110/220V,22/11.5 amps	111
NK4-22	3"Discharge,3HP,220V,13 amps	130
NK3-22L	3"Discharge,3HP,220V,13 amps high volume	196

SEMI-VORTEX-SUBMERSIBLE,TRASH PUMP,WITH AGITATOR

Part #	Description	GPM
HS2.4S	2"Discharge, 1/2HP, 110V,5.4 amps	50
HSE2.4S	2"Discharge, 1/2HP, 110V,5.4 amps (Automatic)	50
HSZ2.4S	2"Discharge, 1/2HP, 110V,5.4 amps (Automatic)	50
HS3.75S	High Head, 3"Discharge, 1HP,115V,9.6 amps	74
HS3.75SL	High Head, 3"Discharge, 1HP,115V,9.6 amps	74
HSZ3.75S	3"Discharge, 1HP, 110V, 10 amps (Automatic)	74
HSD2.55S	2"Discharge, 3/4HP, 110V, 7.6 amps	58

LOW LEVEL-SUBMERSIBLE DEWATERING PUMPS

Part #	Description	GPM
LSC1.4S	¾" Discharge, 2/3HP, 110V, 6.1amps, 0.05" CWL	45
LSR2.4S	2"Discharge,2/3HP,110V,6.1 amps, 0.2" CWL	62

ENGINE DRIVEN CENTRIFUGAL PUMPS (c/w H.D. Sic. Carbide Mech. Seal)

Part #	Description	GPM
TE2-25HA	1" Discharge, 2HP Honda	37
TE3-50HA	2"Discharge, 4HP Honda, 0.66 tank size	137
TE3-80HA	3"Discharge, 5.5HP Honda, 0.95 tank size	264
TE2-100HA	4"Discharge, 8HP Honda, 1.6 tank size	476

ENGINE DRIVEN HI-PRESSURE PUMPS

Part #	Description	GPM
THP4070HA	1.5" DISCHRAGE, 5.5HP HONDA, GPH 90'	106

Prices in CDN

CALL FOR DISCOUNTS

Prepaid on \$5000
(Excludes Diesel Trash Pumps)



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886



DIAPHRAGM PUMPS

Part #	Description	GPM
TD6-200	2"Discharge, 4HP Honda, 0.5 tank size	50
TD6-300	3"Discharge, 4HP Honda, 0.5 tank size	88
TDE6-200	2"Discharge, Electric 1.5HP, 110/120V	32
TDE6-300	3"Discharge, Electric 1.5HP, 110/120V	59



ENGINE DRIVEN TRASH PUMPS (c/w H.D. Sic. Carbide Mech. Seal)

Part #	Description	GPM
EPT3-50HA	2"Discharge, 5.5HP Honda, 0.95 tank size	190
EPT3-80HA	3"Discharge, 8HP Honda, 1.6 tank size	360
EPT3-100HA	4"Discharge, 11HP Honda, 1.7 tank size	570

TRAILER MOUNTED DIESEL ENGINE DRIVEN TRASH PUMPS

Part #	Description	GPM
EPT4-150DPJD	Dry Prime, 6"Discharge, 80HP John Deere, 60 gallon tank size	2400




TSURUMI GENERATORS

HONDA
ENGINES

TSURUMI TPG4-SERIES GENERATORS are designed to withstand the severe conditions of construction jobsites or industrial applications, especially where extra durability and dependable, stable power are required. Ideal for supplying the power to single-phase electrics. **2 YEAR WARRANTY**

	TPG4-3000HDX	TPG4-4500HDX	TPG4-6000HDX	TPG4-7000HDX / TPG4-7000HDXE
Max. / Rated Output (watts)	2600 / 2200	4500 / 3600	5500 / 4800	6800 / 6000
Max. / Rated Current (120V / 240V)	23.3 / 18.3	37.5/30, 18.7/15	45.8/40, 22.9/20	56.7/50, 28.3/25
Voltage (V) (60Hz)	120	120 / 240	120 / 240	120 / 240
AC Outlet Replacement	1-NEMA 5-20R Duplex (20A, 12A, W/GFCI)	2-NEMA 5-20A Duplex (20A, 12A, W/GFCI) 1-NEMA L5-30R (30A, 120V, Twist Lock) 1-NEMA L14-30R (30A, 120/240V, Twist Lock)	2-NEMA 5-20A Duplex (20A, 12A, W/GFCI) 1-NEMA L5-30R (30A, 120V, Twist Lock) 1-NEMA L14-30R (30A, 120/240V, Twist Lock)	2-NEMA 5-20A Duplex (20A, 12A, W/GFCI) 1-NEMA L5-30R (30A, 120V, Twist Lock) 1-NEMA L14-30R (30A, 120/240V, Twist Lock)
Engine Model	GX160T2	GX240T2	GX340T2	GX390T2
Maximum HP	5.5 (3600RPM)	8.0 (3600RPM)	11.0 (3600RPM)	13.0 (3600RPM)
Displacement	163 (10inch ³)	242 (15inch ³)	337 (21inch ³)	389 (24inch ³)
Fuel Tank Capacity (gallon)	4.2	6.6	6.6	6.6
Running Time (Rated load)	12.1	12.5	8.5	7.6
Starting System	Recoil	Recoil	Recoil	Recoil (HDX), Electric (HDXE)
Noise Level (Rated Load)	64dB	68dB	72dB	78dB
Shipping Size (LxWxH) (inches)	24.4 x 19.5 x 20.5	27.6 x 23.4 x 22.6	27.6 x 23.4 x 22.6	27.6 x 23.4 x 22.6
Shipping Weight (lbs.)	110	161	183	192(HDX), 199(HDXE)

Prices in CDN

CALL FOR DISCOUNTS

Prepaid on \$5000
(Excludes Diesel Trash Pumps)



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491


Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

CONFINED SPACE VENTILATOR FANS

Model	VAF1500A	VAF3000A	VAF3000P 	VAF8000A
Voltage / Amps	115V / 2.5A	115V / 4.2A	38 CFM	220V / 13A
Phase	Single	Single	100 psi	Single
Motor	1/4 HP	1 HP	-	5 HP
Diameter	8"	12"	12"	20"
Free Air	877 CFM	2492 CFM	2063 CFM	9968 CFM



VAF3000A

SHAEFER VERSA - KOOL DRUM FANS

Model	VKM24-2-0	VKM36-2-B-0	VKM42-2-B-0
Size	24"	36"	42"
Drive	Direct	Direct	Belt
Speeds	Two	Two	Two
Weight	48lb (22 kg)	105 lb (48 kg)	140 lb (64 kg)
Horsepower	1/2 hp (0.375 kw)	1/2 hp (0.375 kw)	1 hp (0.75 kW)
Voltage	115V	115 V	115 V
Airflow*	5640/5,800 cfm	11,000/7700 cfm	16,600/10,900 cfm



VKM42-2-B-0



VKM24-2-0



MASTER

HEAVY DUTY BARREL FANS

Model	Speed/Drive	HP	Diameter	Volts/Amps	CFM
MHD-36-BDF-C	2/Belt	1/2	36"	120/5.2	10,200/7,500
MHD-42-BDF-C	2/Belt	3/4	42"	120/5.8	14,800/12,000

CONFINED SPACE VENTILATORS

Model	Speed	HP	Diameter	Volts/Amps	CFM
MB-P0813-DCR	1	1/3	8"	115/2.2	930
MB-P0813-DC25	WITH 25' DUCTING + CANNISTER				
MB-P1210-DCR	1	1	12"	115/7.5	1970
MB-P1210-D25	WITH 25' DUCTING + CANNISTER				



FLOOR FANS

Model	Speed/Drive	HP	Diameter	Volts/Amps	CFM
MAC-20F	3/Belt	1/5	20"	120/1.0	4800/4200/3600
MAC-24-DCT	2/Belt	1/3	24"	120/1.92	4000/3200



MAC-24-DCT

PEDESTAL FANS

Model	Speed/Drive	HP	Diameter	Volts/Amps	CFM
MAC-24POSC	3 / Belt	1/2	24"	120/2.5	3900 / 3300 / 2900
MAC-30POSC	3 / Belt	1/2	30"	120/2.6	6000 / 5600 / 5000
MHD-30P	3 / Belt	1/2	30"	120/2.6	6000 / 5600 / 5000



MHD-30P

DUCTING

Description	Part #	Description	Part #
8" X 15' DUCT	AM-DS0815	12" X 15' DUCT	AM-DS1215
8" X 25' DUCT	AM-DS0825	12" X 25' DUCT	AM-DS1225
BAG-O-DUCT (8")	AM-DS0825CB	BAG-O-DUCT (12")	AM-DS1225CB
Plastic Duct Carrier	AM-DCP0825	Coupler/Duct Connector	AM-CG12
Coupler/Duct Connector	AM-CG08	Disposable Duct	AM-DDISP500





DEHUMIDIFIERS



DRIZAIR 1200

Removes up to **68 LITRES/DAY**
 Durable rotomolded housing
 Compact size for easy handling
 Intuitive touchpad control
 DIMENSIONS (H X W X D) **32 x 20 x 19.5 in.**
 WEIGHT **80 lbs / 36 kg**
 AIR PROCESS AT SATURATION **227 CFM / 368 CMH**
 POWER **6.4 A**



104677 / F203-A

LGR 6000Li

Removes up to **96 LITRES/DAY**
 No-leak pump basin
 Compact size for easy handling
 Time saving i-series control
 DIMENSIONS (H X W X D) **32.1 x 19.8 x 20 in.**
 WEIGHT **95 lbs / 43 kg**
 AIR PROCESS AT SATURATION **330 CFM / 561 CMH**
 POWER **6.6 A**



103614 / F600

REVOLUTION LGR

Removes up to **76 LITRES/DAY**
 Stackable
 Removes water as humidity drops
 Digital display of temp and RH+
 DIMENSIONS (H X W X D) **12.5 x 17.6 x 21.5 in.**
 WEIGHT **65 lbs / 29.5 kg**
 AIR PROCESS AT SATURATION **180 CFM / 5.1 CMM**
 POWER **6 A**



111995 / F413

LGR 7000XLi

Removes up to **111 LITRES/DAY**
 Built-in humidistat
 Digital control panel
 Compact and easy to move!
 DIMENSIONS (H X W X D) **33.5 x 20 x 20 in.**
 WEIGHT **107 lbs / 49 kg**
 AIR PROCESS AT SATURATION **325 CFM / 552 CMH**
 POWER **8.3 A**



108110 / F412

LGR 2800i

Removes up to **113.5 LITRES/DAY**
 Optimized even in high temp
 Humidistat control with touch pad
 Sensors with inlet and outlet
 DIMENSIONS (H X W X D) **40.5 x 23 x 24 in.**
 WEIGHT **160 lbs / 72.5 kg**
 AIR PROCESS AT SATURATION **400 CFM / 697 CMH**
 POWER **8 A**



110128 / F410

LGR 3500i

Removes up to **125 LITRES/DAY**
 Displays temperature and RH
 Humidistat control with touch pad
 Sensors with inlet and outlet
 DIMENSIONS (H X W X D) **40.5 x 23 x 24 in.**
 WEIGHT **160 lbs / 72.5 kg**
 AIR PROCESS AT SATURATION **400 CFM / 697 CMH**
 POWER **10.5 A**



110133 / F411

AIR MOVERS / SCRUBBERS

AP 700 (UVC Protection)

WEIGHT **44 LBS / 19.9 KG**
 POWER **3 A / 115V**
 CFM **275-700**



125494

HEPA 700

WEIGHT **44 LBS / 19.9 KG**
 POWER **3 A / 115V**
 CFM **275-700**



125105

HEPA 2000

WEIGHT **124 LBS / 56.25 KG**
 POWER **7.7 A / 115V**
 CFM **500-2000**



123668

SAHARA PRO X4

WEIGHT **24.3 LBS / 11 KG**
 POWER **2.5A / 115V**
 CFM **867 / 1473 CMH**
 DIMENSIONS **17.4 X 15 X 17.3 in.**



124315

STEALTH AV3000

WEIGHT **27.5 LBS / 42 KG**
 POWER **2.7A, VARIABLE**
 CFM **2600**
 DIMENSIONS **10.8 X 24.3 X 24 in.**



113164

VELO

WEIGHT **21 LBS / 9.52 KG**
 POWER **1.9A, 1-SPEED**
 CFM **1165**
 DIMENSIONS **9 X 18 X 24 in.**



125470

FILTERS

HEPA 500

REGULAR

HEPA 700

100053 / F397	ACTIVATED CARBON FILTER	100250 / F581	Filter for 1200/7000XLi	125029	Paper pre-filter for HEPA 700
115471 / F270	Stage pre-filter for HEPA500 2nd	121708 / F584	Filter for 2800i/3500i	125026	Paper pre-filter for HEPA 700 main
113364 / F271	Stage pre-filter for HEPA500 HEPA	102312 / F583	Filter for LGR Series	125028	HEPA 700 primary filter
111192 / F321	HEPA 500 primary filter	100254 / F579	4-PRO filter for LGR6000Li	125027	HEPA 700 carbon needs the #125029



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
 felixms@telus.net
 604 - 351 - 9491

Cassandra MacDonald
 adminms@telus.net
 604 - 668 - 3850

Drew Wood
 drewms@telus.net
 604 - 760 - 9120

Bill Beaumont
 billmssales@gmail.com
 780 - 399 - 6104

Ken Hansen
 kenhansen2@me.com
 403 - 280 - 9886

PRESSURE WASHERS



TULE SERIES TRAILER POWERED by HONDA GAS HOT WATER PRESSURE WASHER TRAILER

HDS 3.5/40 Ge MT
Part No. 1.103-844.0
3.5 GPM at 4000 PSI, Direct Drive

HDS P/PE CAGE POWERED by HONDA GAS HOT WATER PRESSURE WASHERS

HDS 2.8/25 P CAGE
Part No. 1.575-555.0
2.7 GPM at 2400 PSI, Direct Drive
Honda GX200

HDS 3.5/30 P CAGE
Part No. 1.575-551.0
3.5 GPM at 3000 PSI, Direct Drive
Honda GX340

HDS 3.5/35 PE CAGE
Part No. 1.575-553.0
3.5 GPM at 3500 PSI, Direct Drive
Honda GX390

JARVIS SERIES POWERED by HONDA GAS COLD WATER SURFACE CLEANER

SCW - 2.4/25 G
PART No. 1.107-380.0
2.4 GPM at 2500 PSI, Direct Drive



TETON SERIES GAS COLD WATER PRESSURE WASHERS

HD 3.0/27 G Teton
PART No. 1.107 - 398.0
3.0 GPM at 2700 PSI, Direct Drive

HD 4.0/40 G Teton
PART No. 1.107 - 399.0
4.0 GPM at 4000 PSI, Direct Drive

HD 4.0/40 Ge Teton
PART No. 1.107 - 400.0
4.0 GPM at 4000 PSI, Direct Drive



POWERED by HONDA **HD SERIES GAS** GAS COLD WATER PRESSURE WASHER

HD 3.0/27 G
PART No. 9.807-719.0
3.0 GPM at 2700 PSI, Direct Drive, HondaGX200

HD 4.0/40 G
PART No. 9.807-721.0
4.0 GPM at 4000 PSI, Direct Drive



HD COMPACT CLASS ELECTRIC COLD WATER PRESSURE WASHER

HD 1.8/13 C Ed
PART No. 1.520-916.0
1.8 GPM at 1300 PSI, Direct Drive

Prices subject to change without notice, call for quotes.



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

FLOOR SCRUBBERS

BD 50/50 C BP CLASSIC

WALK-BEHIND SCRUBBER

BD 50/50 C Bp Classic

Part No. 9.841.369.0

Pad Driver, 24V/100 Ah Wet Batteries, Shelf Charger, 20" Cleaning Path



BD 80/100 W BP CLASSIC

WALK-BEHIND SCRUBBER

BD 80/100 W Bp Classic,

Part No. 9.841-456.0

295 Ah Wet Batteries, Shelf Charger, 32" Cleaning Path

BD 80/100 W Bp Classic,

Part No. 9.841-457.0

285 Ah AGM Batteries, Shelf Charger, 32" Cleaning Path

*Maintenance free battery

BD 50/50 C Bp Classic

Part No. 9.841.370 *

Pad Driver, 24V/100 Ah AGM Batteries, Shelf Charger, 20" Cleaning Path

*Maintenance free battery



BD 70/75 W BP CLASSIC

WALK-BEHIND SCRUBBER

BD 70/75 W Bp Classic,

Part No. 9.841-466.0

185 Ah Wet Batteries, 28" Cleaning Path



BD 70/75 W Bp Classic,

Part No. 9.841-467.0 ,

190 Ah AGM Batteries 28" Cleaning Path

NT VACUUMS

WET / DRY VACS / HEPA

NT 48/1

PART No. 1.428.623.0

1380 W, 142 cfm, 12 Gal Capacity



NT 68/1

PART No. 1.013-021.0

1200 W, 142 cfm, 18 Gal Capacity



BDS 43/175 C

FLOOR MACHINE

BDS 43/175 C

Part No. 1.009-120.0

17" Pad, 175 RPM, 1.5 HP



BRC 30/15 C

CARPET EXTRACTOR

BRC 30/15 C, Part No. 1.008-058.0

4.5 / 4 Gal Solution / Recovery Capacity

10.5" Cleaning Path



BDP 51/1500 C

BURNISHER

BDP 51/1500 C

Part No. 1.009-101.0

20" Pad, 1500 RPM, 1.75 HP



Prices subject to change without notice, call for quotes.



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886



IMER®

CONCRETE MIXERS



1126608

1105421

Portable 5CF Wheelbarrow Style Mixer

Part #	Model	Motor	
1126608	Minuteman II	110V / 60 Hz 0.5 HP	Steel Drum
1126632	Minuteman II	110V / 60 Hz 0.5 HP	Poly Drum
1105421	Wheelman II	110V / 60 Hz 0.5 HP	Poly Drum
1105422	Wheelman II	110V / 60 Hz 0.5 HP	Steel Drum
1105490	Wheelman II	360° Swivel Stand	



1105802

Portable 12 CF Mixer

1105802	Multi-Mix 350	110V / 60 Hz 0.5 HP	Steel Drum
---------	---------------	---------------------	------------

Towable 9CF - 12CF Mixer

1105851	Workman II 250	9CF Mixer without Motor	Steel Drum
1105850	Workman II 250	5.5 HP Honda GSX	Steel Drum
1105856	Workman II 350	12CF Mixer without Motor	Steel Drum
1105855	Workman II 350	5.5 HP Honda GSX	Steel Drum

14 Gallon/50 lb Bag Capacity Mixer



1105851

1193988	Mix-All 60	0.75 HP 110V Electric Bucket Mixer	Poly Drum
1193968K	Mix-All 60	5 Pack of Buckets	

Portable 4CF Vertical Shaft Mixer



1193988

1194302	Mix 120 Plus	2 HP 110V Portable Specialty Mixer	+ iDUST Grate
1107618	Mix 120 Plus	Rubber Paddle Kit	

Towable 9CF Vertical Shaft Mixer

1194585	Mix 360	Mixer without Motor	
1194578	Mix 360	11 HP Honda Gas motor	

DUMPERS

Tipping Bucket & Self Loading Shovel



1194302

Part #	Model	Motor	Accessories	Available
5105001	Carry 105 Gas	8 HP Honda GX		
5107001	Carry 107 Gas	11 HP Honda GX		



1194585



5107001



5105001 + Dump Platform



5107001 + Concrete Mixer

PREPAID ON \$10,000+ OR 6 PCS+

ALL PRICES IN USD

LIST PRICE LESS 30% USD



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

TILE



8" Blade / 24" Max Cutting Length w/Plunge

1188084	Combicut 200 VA	110V/60Hz, 1.75HP, Single Phase
1188086	Combicut 200 VA	Combicut 200VA - Side Table

10" Blade / 31" Max Cutting Length w/Plunge

1188164	Combicut 250 VA	110V/60Hz, 1.75HP, Single Phase
1188166	Combicut 250 VA	Combicut 250VA - Side Table

10" Blade / 40" Max Cutting Length w/Plunge

1188174	Combicut 250/1000 VA	110V/60Hz, 1.75HP, Single Phase
1188177	Combicut 250/1000 VA	Combicut 250/1000 VA - Side Table

10" Blade / 60" Max Cutting Length w/Plunge

1188180	Combicut 250/1500 VA	110V/60Hz, 1.75HP, Single Phase
1188179	Combicut 250/1500 VA	Combicut 250/1500 VA - Side Table

14" Blade / 48" Max Cutting Length w/Plunge

1188931	Combicut 350 iPower	220V/60Hz, 4HP, Single Phase
1188932	Combicut 350 iPower	Combicut 350 iPower - Side Table

MASONRY

SmartCut 14" Blade / 30" Max Cutting Length w/Plunge

1188975	Masonry 350 Smart Cut	115V/60Hz, 2HP, Single Phase
---------	-----------------------	------------------------------

#750 Plus - 30" Blade

1188863	Masonry 750 Plus	220V/60Hz, 5.5HP, Single Phase
---------	------------------	--------------------------------

SCISSOR LIFTS

IM SERIES

PART#	MOTOR	AREA	HEIGHT
IM3224	ELECTRIC	INDOOR	30'
IM3534 / IM3540	ELECTRIC	INDOOR	39' / 46'
IM4740 / IM4746	ELECTRIC	INDOOR	46' / 52'
IM7043 RT	ELECTRIC	IN / OUT	49'
IMR15 DA	ELECTRIC	IN / OUT	49'

PREPAID ON \$10,000+ OR 6 PCS+

ALL PRICES IN USD

LIST PRICE LESS 30% USD

FROST *Fighters*

**OPTIONAL FEATURE:
HEAT RECOVERY SYSTEM
HELPS PREVENT FUEL FILTER FROM
FREEZING DURING OPERATION**



- Fully Insulated Jacket and Front Cap, Lifting Bale Included.
- Complete Stainless Steel Heat Exchanger.
- Oil Fired: Industrial Temp Rise (over) 80% more Efficient!
- Propane/LNG, 3 Trials for Ignition and Easy Ball Valve Change Over from Propane to Natural Gas.

OPTIONAL HEAT RECOVERY SYSTEM FOR OIL FIRED HEATERS
IDF350-11, IDF500, IDH400QR & IDH500QR
brings heated air back to the fuel filter and control area.

OPTIONAL XLT 60 US GALLON DW FUEL TANK
For IDF350-11, IDF500, IDH400QR & IDH500QR
Comes with forklift pockets and 6-ply Foam filled Tires

IDF HEATERS

MODEL	Heating	Voltage	Weight	CFM	Max. Duct	Oil / Diesel	Propane / LNG
IDF350-II	350,000 BTU	120V / 15A	580 lbs	2500 CFM	Up to 50'		
IDF500	500,000 BTU	120V / 15A	580 lbs	3100 CFM	Up to 50'		

IDH-QR HEATERS Indirect Fired Recirculating Static Style Heater

MODEL	Heating	Voltage	Weight	CFM	Max. Duct	Oil / Diesel	Propane / LNG
IDH200QR	170,000 BTU	120V / 15A	320 lbs	1610 CFM	Up to 100'		
IDH400QR	400,000 BTU	120V / 15A	580 lbs	2800 CFM	Up to 100'		
IDH500QR	500,000 BTU	120V / 15A	580 lbs	4800 CFM	Up to 100'		



- 4"/5" of Static Pressure
- 2 x 16"/20" Outlets & Inlets
- Low Fire / High Fire 2-stage Firing
- Forklift Pockets
- Easy Ball Valve to Switchover from Propane to Natural Gas
- Beckett Burner w/ Optional EZ Burner Change Out



IHS HEATERS Indirect Fired, High Static, Base-Mounted Systems

MODEL	Heating	Voltage	Weight	CFM	Max. Duct	Oil / Diesel	Propane / LNG
IHS700P	700,000 BTU	120V / 15A	320 lbs	4600 CFM	Up to 100'		
IHS700H	700,000 BTU	120V / 15A	580 lbs	4600 CFM	Up to 100'		
IHS1500	1,500,000 BTU	120V / 15A	580 lbs	11000 CFM	Up to 100'		

12" Ducting

- 48301 12"x12' Orange Canvas w/Pin
- 48305 12"x12' High Temp Black w/Belt
- 47102A 12"x25' High Temp Black w/Belt

16" Ducting

- 47102B 16"x16' High Temp Black w/Belt
- 47104A 16"x25' High Temp Black w/Belt
- 49100 20"x25' High Temp Black w/Belt



Poly Ducting

- 48105 12"x25ft Yellow Poly RETURN w/Belt
- 47104 16"x25ft Yellow Poly RETURN w/Belt
- 49101 20"x25ft Yellow Poly RETURN w/Belt

Accessories

- 47300 Remote Thermostat w 2' Cord
- 47301 Remote Thermostat w 25' Cord
- 50731 Lifting Bail (IDF350/500 Series)
- 60165 Genysis Diagnostic Reader

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmsales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886



CARRYALL



ALL THE ACCESSORIES YOUR RENTERS NEED

Specialized add-ons put frequently used tools front and center.



CARRYALL 300



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	800 lb (363 kg)	15-17 mph (24-27 kph)	2
13 hp (9.6 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric			

Perfect for light duty tasks, the Carryall 300 features a rustproof aluminum frame and bed and the tightest turning radius in its class.

CARRYALL 700



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	1500 lb (680 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

A nearly 6 foot (67.6 in/171.7 cm) long bed makes transporting cargo easy and efficient, yet independent suspension and rack-and-pinion steering deliver a smooth ride.

CARRYALL 1700 AWD



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ⁽²⁾	1600 lb (726 kg)	25 mph (40 kph)	4
Kubota® 20.0 hp (15.0 kW) diesel ⁽³⁾			

With Club Car's exclusive IntelliTrak™ automatic four-wheel drive system and four forward-facing seats, this vehicle carries four passengers and their gear over the roughest terrain. Comes standard with ROPS and Seatbelts.

CARRYALL 500



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	1200 lb (544 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

This best seller delivers the right combination of speed and power for just about any job. Standard four-wheel brakes for increased stopping power when towing and hauling heavier loads.

CARRYALL 1500 AWD



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ⁽²⁾	1200 lb (544 kg)	25 mph (40 kph)	2
Kubota® 20.0 hp (15.0 kW) diesel ⁽³⁾	1450 lb (658 kg) ⁽³⁾		

Features our foolproof IntelliTrak™ fully automatic four-wheel drive system as well as our semi-independent four-link rear suspension system for a smooth ride, even when fully loaded. Comes standard with ROPS and Seatbelts.

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Front Bucket



Plow Blade



Pallet Forks

CALL FOR MORE INFORMATION



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

HIGH SPEED PROFESSIONAL GRINDERS



TG8
G00057

- » 2800rpm,
- » 120v/18.4A,
- » lightweight (130Lbs),
- » portable,
- » 50FT Heavy Duty cord,
- » TEQ-Lok tooling (x4 RH)



TG12
G00051

Propane Grinders Also Available!



TG18
G00118

SHIBUYA CORE BIT DRILLS



HH1531
SHIBUYA Hand Drill

Features:

- Built-in on/off switch with motor overload protection
- Slip clutch is adjustable without disassembly
- 360° position water swivel inlet
- Roller carriage for smooth and precise drilling and longer life
- Right and left hand feed handle positions



HH2021
SHIBUYA TS-255 ABV

Eagle by DITEQ SWING MACHINES



G00143
HEAVY DUTY Swing Machine



G00103
Swing Machine



G-TEQ 550H
Early Entry Saw
F50010

LibertyBell Early Green Sawsing



Free Plate with 3-Blade Purchase



50# Breaker w/ VIBRO-Reduced T-Handle
(1-1/8 Chuck) Part No. H20005
+ Moll Point Chisel Part No. 151890.



Hydraulic Flow

SAWS



Hydraulic 16\" data-bbox="214 781 316 817"/>

CARDI TP400
16\" data-bbox="358 745 459 793"/>



Includes Free 16\" data-bbox="333 874 452 908"/>



VACCUMS



4 - 20 GAL WET VACCUM
(SQUEEGEE OPTION AVAILABLE)
160825



HEPA 160CFM Dual Motor
162242



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

USE ON:

- CURED CONCRETE
- GREEN CONCRETE
- ASPHALT
- BLOCK
- BRICK

MULTI USE BLADES

12" x .125" x 1"-20mm DP	D11030
12" x .125" x 20mm DP	D11050
14" x .125" x 1"-20mm DP	D11031
14" x .125" x 20mm DP	D11051
16" x .125" x 1"-20mm DP	D11032
16" x .125" x 20mm DP	D11052
18" x .125" x 1"-20mm DP	D11033
20" x .145" x 1"-20mm DP	D11034
24" x .145" x 1" DP*	D11080



C-51 Segmented/Double Pointed Core Bits

2"	D36101	4"	D36108
2 1/2"	D36103	4 1/2"	D36110
3"	D36105	5"	D36112
3 1/2"	D36107	5 1/2"	D36113
		6"	D36115



Hammer Drill Adapters for Diamond Core Bits



Adapter shanks are short enough to prevent the hammer action from engaging allowing the tool to be used as a rotary drill. For use with 5/8" threaded C34 ARIX™ core bits.

Description	Part No.
SDS Max to 5/8-11" M Rotary	151623
SDS Plus to 5/8-11" Rotary	151670



4"x.080x7/8"-5/8"	D96403	8"x.080"xDM-7/8"-5/8"	D96408
4.5"x.080"x7/8"-5/8"	D96404	9"x.095"x7/8"-5/8"	D96409
5"x.080"x7/8"-5/8"	D96405	10"x.110"x7/8"-5/8"	D96410
6x.080"x7/8"-5/8"	D96406	12"x.125"x1"-20mm DP	D96401
7"x.080"xDM-7/8"-5/8"	D96407	14"x.125"x1"-20mm DP	D96402

Turbo Fast Segmented Life

Use on:
Brick, Pavers, Concrete, Block

Compact Scrubber Package Deal:

- TG-516 Compact Scrubber with Pad Driver
- Poly Scrub Brush
- 5 ea. Black and White Maintenance Pads
- 3 ea. Daily Cleaner Gallon Bottles
- 1 ea. HD Concentrated Cleaner/Degreaser Gallon Bottle



Concrete Destroyer

Cleans and removes dry, hardened concrete off practically anything without the hazard of acids!

No Toxic Fumes!

Description	Part No.
32-oz. spray bottle*	100316
1 gallon bottle**	100317
5 gallon bucket	100318



PORTABLE AIR COMPRESSORS

ELGi

GP35FP

Perfect for
Fibre Optics!



Operates at **218psi / 35cfm**

Powered by a Vanguard 3864 23 HP gas engine with electric start
A skid option is available for installation on a utility truck or trailer.

Integrated aftercooler and moisture separator to reduce service air temp

GP75

Operates at **100psi / 75cfm**

Powered by a Honda GX690 22.5hp gasoline engine

Optional high-pressure system (160-190psi) and skid mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D90KA

Operates at **100psi / 90cfm**

Powered by a Kubota D1105-E3B Tier 4 Final diesel engine

Optional cold weather kit, skid mount, and high pressure system (160-190 psi)

The Intelligent Start/Stop System prevents cold-starting and blowback



D185T4F

Operates at **100psi / 185cfm**

Powered by Kohler's quiet and efficient KDI1903 engine

Optional cold weather kit (block heater and HD battery), utility mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D300T4F

Operates at **100psi / 290cfm** (& 150 psi / 230 cfm with optional switch)

Powered by a 74 HP Kohler KDI2504-TCR Tier 4 Final Diesel Engine

Optional aftercooler, cold weather kit, dual pressure switch, hose reel, and skid mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D400T4F

Operates at **100 or 150psi / 375cfm**

Powered by a Cummins' quiet and efficient QSF 3.8130 engine

Optional aftercooler (internal), cold weather kit, skid support

The Intelligent Start/Stop System prevents cold-starting and blowback



D425T4F

Operates at **100psi / 425cfm**

Powered by Cummins QSF 3.8130 Tier 4 Final Diesel Engine

Optional aftercooler (internal), cold weather kit, skid support

The Intelligent Start/Stop System prevents cold-starting and blowback



D800T4F

Operates at **150psi / 800cfm**

Powered by a FPT NEF 67 Tier 4 Final turbocharged diesel engine.

Optional aftercooler (internal), cold weather kit

The Intelligent Start/Stop System prevents cold-starting and blowback



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886



CHIPPING HAMMERS

WHIP HOSES INCLUDED!
HEX OR ROUND CHUCK

KTC-T3S
KTC-T4S



TOP TRIGGER
SCREW-ON

KTC-3S
KTC-4S



D-HANDLE INSIDE
TRIGGER SCREW-ON

KTC-P3S
KTC-P4S



OPEN HANDLE
SCREW-ON

KTC-D3S
KTC-D4S



D-HANDLE TOP
TRIGGER SCREW-ON

KTC-L



LIGHT WEIGHT
STD. RETAINER

KTC-P3
KTC-P4



PISTOL HANDLE
STD. RETAINER

KTC-T2
KTC-T3
KTC-T4



TOP TRIGGER
STD. RETAINER

KTC-2
KTC-3
KTC-4



INSIDE TRIGGER
STD. RETAINER

RIVET BUSTERS

INDUSTRY STANDARD
JUMBO SHANK WITH NOISE
REDUCING MUFFLERS

KT-RB5



5" 20LB CLASS

KT-RB6



6" 26LB CLASS

KT-RB8



8" 30LB CLASS

KT-RB11



11" 40LB CLASS

ROCK DRILLS

KT-RD9



9LB CLASS

KT-RD30



30LB CLASS

KT-RD50



50LB CLASS

KT-RD60



60LB CLASS

KT-RD75



65LB CLASS

PAVING BREAKERS

KT-PB30



30LB CLASS

KT-PB40



40LB CLASS

KT-PB60



60LB CLASS

KT-PB90



90LB CLASS

MORE TOOLS AVAILABLE, CALL FOR INFORMATION AND PRICING



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

1 SELECT HEAD



STEEL HEADS

PART #	DESCRIPTION
HP075oz	3/4"
HP100oz	1"
HP125oz	1-1/4"
HP150oz	1-1/2"
HP175oz	1-3/4"
HP200oz	2"
HP250oz	2-1/2"

SHORT HEADS

HSP075oz	3/4" x 6"
HS125oz	1-1/4" x 6"
HS175oz	1-3/4" x 6"

2 SELECT SHAFT

FLEXSHAFTS

PART #	DESCRIPTION
FS07oz	7 ft
FS10oz	10 ft
FS12oz	12 ft
FS14oz	14 ft
FS16oz	16 ft
FS18oz	18 ft
FS21oz	21 ft

PENCILSHAFTS

FSP03oz	3 ft
FSP06oz	6 ft
FSP09oz	9 ft
FSP11oz	11 ft
FSP15oz	15 ft
FSP20oz	20 ft

3 SELECT POWER UNIT

ELECTRIC MOTORS

PART #	AMPS	MAX HEAD SIZE STEEL/RUBBER
1.2oz	9	1-1/2" / NONE
1.8oz	15	1-3/4" / NONE
2.4oz	17	2" / 2-3/4" SHORT
3.2oz	19	2-1/2" / 2-3/4"

GAS BACKPACKS

BP35	Honda 35cc Backpack unit only
BP50a	Honda 50cc Backpack unit only

CCEILING GRINDER

CG12E	Ceiling Grinder
FSCG07HD	Shaft Assembly



SUBMERSIBLE UTILITY PUMPS

Model # Description



C-2305 Rugged thermoplastic body, pumps 1260 gph, includes 8' power cord and garden hose adapter, pumps down to 1/8"

C-2310 Heavy-duty aluminum construction, pumps 1260 gph, includes 25' power cord and garden hose adapter, pumps down to 1/8"

FP18-15BD Float Switch, 110V for up to 1 HP electric pumps

CONCRETE MIXERS



XH - PCM5 - H2

- Electric 1/2 HP, 5 cu/ft
- Wheel Barrow or pedestal style mixer

The Power Buggy[®] Indy



iPB - 16

13 HP Honda, Foam tires/Poly bucket

iPB - 16E

13 HP Honda, Foam tires, Electric start, Poly bucket

LADDER AND SCAFFOLD CO.



SSP




SPT




SCP1



SLF6030P



SMF6060P




SMF3660P



SCS



SGR0300




SBR



SAD1019

Part #	Description
SMF6060P	60" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SLF6036P	60" x 30" FRAME WITH COUPLING PINS & SPRING-LOCKS
SMF3660P	36" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SBR1004	4' x 10' GALVANIZED CROSS BRACE
SBR1002	2' x 10' GALVANIZED CROSS BRACE
SBR0704	4' x 7' GALVANIZED CROSS BRACE
SBR0702	2' x 7' GALVANIZED CROSS BRACE
SCS	8" CASTER
SSJ24	24" SCREW JACK W/ BASEPLATE
SSJ00	24" SOCKET JACK
SCP1	GALVANIZED COUPLING PIN WITH SPRING-LOCK
SPT	GALVANIZED PIG TAIL LOCK
SGR0300	30" GALVANIZED GUARDRAIL
SGR0500	60" GALVANIZED GUARDRAIL
SGR0700	84" GALVANIZED GUARDRAIL
SGR1000	120" GALVANIZED GUARDRAIL
SGRPP-X	GUARDRAIL POST
SSB20P	20" SIDE BRACKET
SAD0719	7' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK
SAD1019	10' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK

**TEMPORARY FENCING AVAILABLE
INCLUDES COUPLER AND BASE PLATE***



BASE PLATE ONLY

COUPLER ONLY





For metal and steel cutting application, including rebar, steel pipe, structural steel, sheet metal, cable and small to medium diameter solid pieces.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601486	12 x 1/8 x 1/20mm	Asphalt	6300	10
66252837839	12 x 1/8 x 1/20mm	Concrete	6300	10
66252837840	12 x 1/8 x 1/20mm	Ductile	6300	10
70184601489	12 x 1/8 x 1/20mm	Metal	6300	10
70184601490	14 x 1/8 x 1/20mm	Asphalt	5400	10
70184601491	14 x 1/8 x 1/20mm	Concrete	5400	10
70184601492	14 x 1/8 x 1/20mm	Ductile	5400	10
70184601493	14 x 1/8 x 1/20mm	Metal	5400	10
70184601494	16 x 1/8 x 1/20mm	Concrete	4700	10
70184601495	16 x 1/8 x 1/20mm	Metal	4700	10

CHOP SAW WHEELS

Industrial performance to be used in cutting conduit, tail pipes, structural and other solid shapes.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601476	12 x 3/32 x 1	Metal	5095	10
70184601477	14 x 3/32 x 1	Metal	4365	10

CIRCULAR SAW WHEELS

Standard grade with good performance and life when cutting metal. Standard silicon carbide with good performance when cutting brick, block, concrete and other masonry materials.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601484	7 x 3/32 x 5/8	Metal	8,730	25
70184601485	7 x 3/32 x 5/8	Concrete	8,730	25
7660789096	8 x 1/8 x DM-5/8	Metal	7,640	10
7660789086	8 x 1/8 x DM-5/8	Masonry	7,640	10

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for steel and metal.

NORTON CLIPPER CLASSIC - TYPE 1 (FLAT)

UPC	Size	Application	RPM	PKG
70184601455	4-1/2 .040x7/8	Metal	13,580	25
70184601456	5 x .040 x 7/8	Metal	12,225	25

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for steel and metal.

NORTON CLIPPER CLASSIC - TYPE 27 (DEPRESSED CENTER)

UPC	Size	Application	RPM	PKG
70184601465	4-1/2x.045x7/8	Metal	13,580	25
70184601466	5 x .045 x 7/8	Metal	12,225	25

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for metals and steels. Exceptional life and cut rate on carbon and stainless steel. Good performance.


NORTON CLIPPER CLASSIC - TYPE 27 (DEPRESSED CENTER)

UPC	Size	Application	RPM	PKG
70184601524	4 x 1/8 x 5/8	Metal	18,000	25
70184601501	4 x 1/4 x 7/8	Metal	18,000	25
70184601526	4-1/2 x 1/8 x 7/8	Metal	13,580	25
70184601505	4-1/2 x 1/4 x 7/8	Metal	13,580	25
70184601528	5 x 1/8 x 7/8	Metal	12,225	25
70184601507	5 x 1/4 x 7/8	Metal	12,225	25
70184601532	7 x 1/8 x 7/8	Metal	8,600	25
70184601511	7 x 1/4 x 7/8	Metal	8,600	25
70184601504	4-1/2 x 1/4 x 7/8	Concrete	13,580	25
66252843602	5 x 1/4 x 7/8	Concrete	13,580	25



Model	Description	Part #
MK-370EXP	TILE SAW W/STAND 7" 1/4HP	159943
MK-212-4	36" STONE/TILE RAIL SAW 2 HP 10"	159414
MK-212-6	72" STONE/TILE RAIL SAW 2 HP 10"	167882
MK-101 Pro	TILE SAW WITH STAND 1-1/2 HP	155747
MK-101 Pro24	MK-101-PRO-24 SAW WITH STAND	153243
MK-2001SV	BRICK SAW 1-1/2 HP 110V	161195
CX-3®	CONCRETE SAW, HONDA GX160 W/ CYC 5HP	159345
MK-1613-H	PREMIUM 18" BLD GRD. HONDA 13HP	160772
MK-2013HSP	SELF-PROPELLED CONCRETE SAW, 18"	156499
MK-X1318	WALK-BEHIND CONCRETE SAW, 18"	171002
MK-DDG-11	DIAMOND DUAL DISC GRINDER	157012
MK-VTS/50	FLOOR SCRAPER 115V/230V 12.8A/6.3A	167676

DIAMOND BLADES




SEGMENTED CONCRETE
BIGGEST segm height - 500" tall segm height!
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12C
14" x .125 x 1" - 20mm	S14C

PREMIUM SEGMENTED CONCRETE
Super premium quality .375" tall segment height
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12PRC
14" x .125 x 1" - 20mm	S14PRC
16" x .125 x 1" - 20mm	S16PRC
18" x .125 x 1" - 20mm	S18PRC
20" x .125 x 1" - 20mm	S20PRC
24" x .155 x 1" - 20mm	S24PRC



ASPHALT/GREEN CONCRETE
Premium quality .375" tall segment height
Cuts green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1" - 20mm	A12PR
14" x .125 x 1" - 20mm	A14PR
16" x .125 x 1" - 20mm	A16PR
18" x .125 x 1" - 20mm	A18PR
20" x .125 x 1" - 20mm	A20PR
24" x .155 x 1" - 20mm	A24PR



DUAL CUTTING BLADE
Super premium quality .400" tall segment height
Cuts concrete, masonry, brick, stone, green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1"-20 mm	DAC12PR
14" x .125 x 1"-20 mm	DAC14PR
16" x .125 x 1"-20 mm	DAC16PR



GRINDING SHROUD



MSS455	4.5"/5"
MSS7	7"
MK172366	5"

OTHER DIAMOND PRODUCTS

CORE BITS

Super premium concrete core bits .400" segment height

DCB34	3/4"
DCB78	7/8"
DCB1	1"
DCB112	1-1/2"
DCB2	2"
DCB212	2-1/2"
DCB3	3"
DCB312	3-1/2"
DCB4	4"
DCB412	4-1/2"
DCB5	5"
DCB6	6"
DCB8	8"
DCB10	10"
DCB12	12"

TILE SAW BLADE WET/DRY

CR10	10"
CR8	8"
CR7	7"

10" FLOOR GRINDER HEADS - 10/20 SEGMENT



DG1010C	CONCRETE
DG1020C	CONCRETE
DG1020G	GREEN

SPECIALTY CONCRETE CUP WHEELS

FC55811-E	5" x 5/8" - 11 flat faced
HCL619-E	6" x 19mm - 5/8" L
HCSQ619-E	6" x 19mm - 5/8 Square
TCL619-E	6" x 19mm - 5/8 Triangle



CALL FOR ADDITIONAL SIZES

Premium quality .250" tall segment height



GRINDING CUP WHEELS - DRY

	Single Row	Double Row
4" x 7/8" - 5/8" thread	DC1478	DC2478
4" x 5/8" - 11" thread	DC145811	DC245811
4.5" x 7/8" - 5/8" thread	DC14578	DC24578
4.5" x 5/8" - 11" thread	DC1455811	DC2455811
5" x 7/8" - 5/8" thread	DC1578	DC2578
5" x 5/8" - 11" thread	DC155811	DC255811
7" x 7/8" - 5/8" thread	DC1758	DC2778
7" x 5/8" - 11" thread	DC175811	DC275811



FASTENING PRODUCTS

QUALITY | INNOVATION | SERVICE

- Excellent speed, performance and endurance
- Designed for drilling in concrete, stone, block, masonry & brickwork
- The dynamic, chisel-shaped drill point rapidly penetrates the material and channels the drilling dust into the patented reinforced multi-flute spiral and out of the hole. This saves both time and money



SDS PLUS

Part #	Description	Usable
SDS3166	3/16 X 6"	4"
SDS3166B	3/16 X 6" BULK PACK	4"
SD5144	1/4 X 4"	2"
SDS146	14 X 6"	4"
SDS148	14 X 8"	6"
SDS386	3/8 X 6"	4"
SDS3812	3/8 X 12"	10°
SDS126	1/2 X 6"	4*
SDS128	1/2 X 8"	6"
SDS1218	1/2 X 18"	16"
SDS586	5/8 X 6"	4"
SDS5812	5/8 X 12"	10"
SDS5818	5/8 X 18"	16"
SDS348	3/4 X 8"	6"
SDS3412	3/4 X 12"	10"
SDS3418	3/4 X 18"	16"
SDS112	1 X 12"	10"



- High-grade tungsten carbide tips specially designed for optimal toughness and durability
- Multi-tip for faster drilling
- Optimized reinforced flute design ensures quick and efficient removal of drilling dust
- Drill bit body produced from high quality tool steel for extended bit life
- Self-centering tip



SDS MAX

Part #	Description	Usable
MAX1221	1/2 X 21"	16"
MAX5813	5/8 X 13"	8"
MAX5821	5/8 X 21"	16"
MAX5836	5/8 X 36"	31"
MAX3413	3/4 X 13"	8"
MAX3421	3/4 X 21"	16"
MAX3436	3/4 X 36"	31"
MAX7813	7/8 X 13"	8"
MAX7821	7/8 X 21"	16"
MAX7836	7/8 X 36"	31"
MAX113	1 X 13"	8"
MAX121	1 X 21"	16"
MAX136	1 X 36"	31"
MAX11817	1-1/8 X 17"	12"
MAX11821	1-1/8 X 21"	16"
MAX11415	1-1/4 X 15"	10"
MAX11423	1-1/4 X 23"	18"
MAX11436	1-1/4 X 36"	31"
MAX13823	1-3/8 X 23"	18"
MAX11223	1-1/2 X 23"	18"
MAX13423	1-3/4 X 23"	18"
MAX223	2 X 23"	18"

Prices in CDN



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886

SDS MAX



Description	Part #
12" Moil Point	MP12
16" Moil Point	MP16
12" Narrow Chisel	MC12
16" Narrow Chisel	MC16
10" SDS Plus Point	PP10
10" SDS Plus Chisel	PC10
12" Chisel - 3" Wide	MC12-30
16" Chisel - 3" Wide	MC16-30
12" Bent Chisel - 3" Wide	MCB12-30
12" Chisel - 4.5" Wide	MC12-45
Asphalt Cutter	AC-MAX
Clay Spade	CS-MAX
Floor Scraper	FSA-2MML
Floor Scraper Shank	FSS-MAX
Steel Bush Tool	BH1-MAX
Carbide Bush Tool	BHC-MAX
3/4" Ground Rod Driver Max	GD34-MAX

HILTI 805/905/TE1000



14" Moil Point	NP14
19" Moil Point	NP19
14" Narrow Chisel	NC14
19" Narrow Chisel	NC19
14" Chisel - 2" Wide	NC14-20
19" Chisel - 2" Wide	NC19-20
14" Chisel - 3" Wide	NC14-30
19" Chisel - 3" Wide	NC19-30
14" Chisel - 4.5" Wide	NC14-45
19" Chisel - 4.5" Wide	NC19-45
Asphalt Cutter	AC-905
Clay Spade	CS-905
Floor Scraper	FSA-2MML
HD Floor Scraper	FSHD-905-100S
Steel Bush Tool	BH1-905
Carbide Bush Tool	BHC-905

To fit Hilti TE1000-AVR, TE1500-AVR, TE500, TE706, TE706-AVR, TE805, TE905, TE905-AVR

CHIPPING STEEL



Description	.680" Rnd Shank		.580" Rnd Shank	
	Oval Collar	Round Collar	Oval Collar	Round Collar
12" Moil Point	P6812OC	P5812OC	P6812RC	P5812RC
12" Narrow	C6812OC	C5812OC	C6812RC	C5812RC
12" Chisel - 2"	C6812OC-20	C5812OC-20	C6812RC-20	C5812RC-20
12" Chisel - 3"	C6812OC-30	C5812OC-30	C6812RC-30	C5812RC-30
Steel Bush Tool	BH1-680OC	BH1-580OC	BH1-680RC	BH1-580RC

PAVING BREAKER



	7/8" x 3-1/4" Shank	1" x 4-1/4" Shank	1-1/8" x 6" Shank
14" Moil Point	P10114	P10214	P10314
18" Moil Point	P10118	P10218	P10318
14" Narrow Chisel	C10114	C10214	C10314
18" Narrow Chisel	C10118	C10218	C10318
14" Chisel - 3" Wide	CC11114	CC11214	CC11314
18" Chisel - 3" Wide	CC11118	CC11218	CC11318
Asphalt Cutter	AC-101	AC-102	AC-103-10
Clay Spade	CS-101	CS-102	CS-103-10
Steel Bush Tool	BH101	BH102	BH103

**JUMBO RIVET
BUSTER STEEL**



Description	Part #
12" Moil	JRBP12-86
18" Moil	JRBP18-86

Description	Part #
12" Narrow	JRBC12-86
18" Narrow	JRBC18-86

RIVET BUSTER PARTS



Description	Part #
HD Floor Scraper Replacement Blade	FSHDB2MM
Floor Scraper Replacement Blade	FSAB-2MM



In-Line Oilers

Large	ILO-L
Medium	ILO-M
Small	ILO-S



Rivet Buster Upper Sleeve	RBP-US2101
Rivet Buster Lower Sleeve	RBP-LS2103
Rivet Buster Retainer Spring	RBP-RS2194
Rivet Buster Rubber Bumper	RBP-RB2104
Chipping Hammer Spring	CHR-SPRING



BOMAG
FAYAT GROUP

Compaction Equipment, Plate Compactors, Tampers and Rollers
1-800-782-6624 x www.bomag.com



Southwire[®]

Extension Cords, LED Lighting, Distribution Boxes and Accessories
1-800-678-3470 x www.southwire.com

SUMNER

A Southwire Company

Material Lifts, Gantries, Chain/Lever Hoists
1-800-678-3470 x www.southwire.com

KÄRCHER

Floor Scrubbers, Hot/Cold Pressure Washers, Sweepers
1-888-705-9444 x www.karcher.com



Mixers, Rail Saws, Scissor Lifts, Atrium Lifts, and Dumpers
1-800-678-3470 x www.imergroup.com



Oil, Propane and Gas Heaters
1-888-792-0374 x www.frost-fighteter.com



Electric and Gas Concrete Vibrators, Ceiling Grinders
1-800-533-9055 x www.oztec.com



Electric and Gas Pumps
1-800-451-2537 x www.tsurumicanada.com



Pneumatic Tools
330-677-8884 x katcotools.com



Dehumidifiers & Fans
1.800.932.3030 x dri-eaz.com



Air Movers, Van Axial Fans, Blowers & Fans
1.800.779.3267 x pinnacleclimate.com



Air Movers, Heaters, Pedestal Fans, Ducting
1-(800) 641-6996 x masterindustrialproducts.com

ALLRIGHT
LADDER AND SCAFFOLD CO.

Scaffolding & Temporary Fencing
(604) 253-4351 x allrightladder.com



Utility Vehicles
1.800.258.2227 x clubcar.com



Diamond Tool and Equipment
1-800-688-1032 x diteq.com

Jenny
AIR COMPRESSORS

Portable & Stationary Air Compressors
1.888.425.3669 x jennycompressors.com



Steel Bits for Paving Breakers, Chippers, Scalers, Electric Hammers, etc.
1.800.858.8831 x championchisel.com

ELGI[®]
Always Better.

Portable and Skid Compressors
1-704-943-7966 x elgi.com

MANUFACTURERS REPRESENTATIVE Providing the highest quality products for the rental and construction industry

FELIX PASQUA
OWNER
FELIXMS@TELUS.NET
604-351-9491

DREW WOOD
OWNER
DREWMS@TELUS.NET
604-760-9120

CASSANDRA MACDONALD
SALES AND ADMINISTRATION
ADMINMS@TELUS.NET
604-668-3850

KEN HANSEN
SALES REP AB/MB
KENHANSEN2@ME.COM
403-280-9886

BILL BEAUMONT
SALES REP AB/SK
BILLMSSALES@GMAIL.COM
780-399-6104

MAX FOOKES
SALES AND MARKETING
MARKETINGMSSALES@GMAIL.COM
604-668-3850



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 668 - 3850

Drew Wood
drewms@telus.net
604 - 760 - 9120

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Ken Hansen
kenhansen2@me.com
403 - 280 - 9886