

CONTRACTOR COPY



MSSALES

2026 CATALOG



MANUFACTURER REPRESENTATIVE Providing High Quality Products for the Rental, Industrial, and Construction Markets



**4032 MCCONNELL DRIVE
BURNABY, BC
V5A 3A8**



**604-668-3850
1(800)-451-2537**



MSSALESLTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



LED LIGHTING

LED CARTLIGHTS

PART #	DESCRIPTION
7309	Single Head Cart Light 22,000 Lumens
7300HA	Single Head Fixture Only 22,000 Lumens
7322	Double Head Cart Light 44,000 Lumens
7300DHA	Double Head Fixture Only 44,000 Lumens

LED BAY LIGHTS

T60100	13,000 Lumen LED Overhead
T60150	19,500 Lumen LED Overhead
CL100LED	12,000 Lumen Integrated LED Economy Cage Light

LED STRING LIGHTS

7138SW	50' 12/3 SJTW String Light, Metal Cages
7139SW	100' 12/3 SJTW String Light, Metal Cages
7148SW	50' 12/3 SJTW String Light, Plastic Cages
7148SW	100' 12/3 SJTW String Light, Plastic Cages
7164SW	50' - 14/3, 4,000 Lumen, LED String Light
7165SW	100' - 14/3, 8,000 Lumen, LED String Light
7174SW	50' LED String Light 18/3 SJTW power supply cord
7175SW	100' LED String Light 18/3 SJTW power supply cord

WOBBLE LIGHTS

111208	Wobblelight® 25 6000 Lumens
111211	Wobblelight® 27 10000 Lumens
111303LED	Wobblelight® 220W LED - 15000 lumens
111301LED	Wobblelight® 150W LED - 12000 lumens

PLUGS / ACCESSORIES

PLUGS / ADAPTERS / GFCI CORDSETS

PART #	DESCRIPTION
30040008-6	12/3 15A Female Straight Blade
90218802	12" 12/3 15A Female Straight Blade Connector
90208802	12" 12/3 20A Female Twist Connector
90198802	12/3 STW 2' YELLOW "W" ADAPTER
4112SW8802	2ft SJTW 12/3 Three-Way Power Block (Yellow)
5266MA	U-Ground Marincos 5-15 Straight Blade - Male
5269MA	U-Ground Marincos 5-15 Straight Blade - Female
59840000	Economy 15A - 115V Male
59850000	Economy 15A - 115V Female



7322

7309



T60100

T60150



7148SW

7138SW



7175SW

7164SW



111301LED

111208



515-C

515-P

90208802

90198802

90218802

Prices subject to change without notice, call for quotes. Prices in **CDN**



TEMP POWER

X-TREME BOX™ DISTRIBUTION BOXES

PART #	DESCRIPTION
6506UGSX	50A TEMP PWR BOX 6-STRAIGHT BLADE SLED BASE
8706UGCX	50A TEMP PWR BOX 6-STRAIGHT BLADE ROLL CAGE BASE
6534UGSX	30A 125/250V 4-OUTLET 20A UG BOX
6522UGMX	20A 125/250V 8 OUTLET 20A UG GFCI MINI BOX
6066GUSF-254	200A 120/208V CAM SS W/FRAME 4-50A 125/250V (CS6369)
18900000	GFCI MODULE FOR TEMP POWER BOXES



X-TREME BOX™ POWER DISTRIBUTION CORDS AND CONNECTORS

PART #	LENGTH	DESCRIPTION
6410MC	10'	6/4 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19370008	25'	6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19380008	50'	6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19390008	100'	6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
LIV18240008	10'	30A 125/125V (14-30P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18340008	10'	50A 125/125V (14-50P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18540008	10'	30A 125/125V (14-30P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR
18640008	10'	50A 125/125V (14-50P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR

PLUGS

PART #	BRAND	DESCRIPTION
6365M	Marinco	50A 125/250V 1PH PLUG 3P4W California Twist
6364M	Marinco	50A 125/250V 1PH CONNECTOR 3P4W California Twist
59740000	Bryant	50A 125/250V 1PH PLUG 3P4W California Twist
59750000	Bryant	50A 125/250V 1PH CONNECTOR 3P4W California Twist



3-PHASE POWER CARTS

PART #	DESCRIPTION
6210DC	100 AMP 120/208V DIRECT WIRE INPUT 10-20A 125V 5-20R
6212DC	100 AMP 120/208V DIRECT WIRE INPUT 4- 50A 125/250V 2- 20A 125V
6220CC	200 AMP 120/208V CAM TYPE INPUT 6- 50A 125/250V 2- 20A 125V




Prices subject to change without notice, call for quotes. Prices in **CDN**

\$2000 CDN NET PREPAID



Southwire®

EXTENSION CORDS



2487SW8804



2588SW0002



4187SW8802



1687SW0002



3205



6415

THREE CONDUCTOR - LIGHTED END

PART #	LENGTH	DESCRIPTION	PACK
2487SW8804	25 ft.	14/3 SJTW Ext Cord Lighted End (Red)	12
2488SW8804	50 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2489SW8804	100 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2587SW8802	25 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	12
2588SWCA02	50 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	6
2589SWCA02	100 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	4
2687SW0002	25 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	6
2688SW0002	50 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	4
2689SW0002	100 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	3

THREE-WAY POWER BLOCK WITH LIGHT END

PART #	LENGTH	DESCRIPTION	PACK
4187SW8802	25 ft.	12/3 SJTW Three-Way Block W/ Light End	12
4188SW8802	50 ft.	12/3 SJTW Three-Way Block W/ Light End	6
4189SW8802	100 ft.	12/3 SJTW Three-Way Block W/ Light End	4

POLAR/SOLAR EXTENSION CORDS

PART #	LENGTH	DESCRIPTION	PACK
1487SW0002	25 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1488SW0002	50 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1489SW0002	100 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1687SW0002	25 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1688SW0002	50 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1689SW0002	100 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1787SW0002	25 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1788SW0002	50 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1789SW0002	100 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	3

SPEC GRADE CORDSETS

PART #	LENGTH	DESCRIPTION	PACK
3101	100 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3105	50 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
1030	100 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
1035	50 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
6415	50 ft.	50' 10/4 30A 125/250V (L14-30) DEVICES	1
6410	100 ft.	100' 10/4 30A 125/250V (L14-30) DEVICES	1

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



PIPE BENDING



PB2000

MSB2000

PB2000	BENDMAX™ for 3/4"-2" EMT, IMC/GRC Conduit, Full Featured
BML2000	BENDMAX™ for 3/4"-2" EMT, IMC/GRC Conduit
MSB2000	BENDMAX™ 1/2"-2" EMT, IMC Conduit, Shoe / Roller Not Included
MSB2000I	BENDMAX™ w/ 1/2" To 2" Imc Conduit Attachments
MSB2000E	BENDMAX™ w/ 1/2" To 2" Emt Conduit Attachments
MSB2000R	BENDMAX™ w/ 1/2" To 2" Rigid Conduit Attachments
MHB4000	Maxis® Complete Hydraulic Bender for 2.5"-4" EMT, IMC/GRC

CABLE PULLING



XD10

M6K

XD1

XD1	MAXIS® XD1 Circuit Wire Puller 1000 lbs
M3K-M	MAXIS® M3K-M 3K Cable Puller w/ Motor 3000 lbs
M6K-M	MAXIS® M6K-M 6K Cable Puller w/ Motor 6000 lbs
XD10	MAXIS® XD10 Extreme Duty Cable Puller 10,000 lbs

MATERIAL HANDLING



SM-60

RR-SW30

PB603049

MPJ-02

CRKTF

CC482423

213-14SB-LF

MPJ-02	Pro-Jax™ 10,000Lbs Capacity Reel Stand
RR-SW30	Southwire 30K Reel Roller
SM-60	60" Security Storage Cabinet, 1500 Lbs Capacity
SM-48	48" Security Storage Cabinet, 1500 Lbs Capacity
SM-30	30" Security Storage Cabinet, 1500 Lbs Capacity
PB603049	60" X 30" X 49" Piano Style Site Storage Box
PB483048	48" X 30" X 48" Piano Style Site Storage Box
PB603034	60" X 30" X 34" Piano Style Site Storage Box
ST-401	Grasshopper Pipe Dolly
CRKTF	Cricket™ Pipe Buggy W/Flat Free Tires
213-14SB-LF	Heavy-Duty Double Gas Cylinder Cart
CC482423	48" Compact Storage Chest
CC191932	32" Mini Compact Storage Chest
CB603065	120" Bi-Fold Storage Cabinet
CB602460	60" Two Door Storage Cabinet



MATERIAL LIFTS

MODEL #	STOCK#	DESCRIPTION
2010	783700	2010 Material Lift (10'/1,000 lbs.)
2015	783701	2015 Material Lift (15'/800 lbs.)
2112	783650	2112 Contractor Lift (12'/650 lbs.)
2118	783651	2118 Contractor Lift (18'/650 lbs.)
2124	783652	2124 Contractor Lift (24'/650 lbs.)
2416	784751	2416 Contractor Lift (16'/450lbs.)
2615	783067	2615 The Big Lift, 15' (1,100 lbs)

FORK EXTENSIONS AVAILABLE FOR ALL MODELS

EVENT LIFTS

EV16	784760	Eventer Lift, W/BRK, (16'/500 lbs)
EV20	783801	Eventer Lift, W/BRK (20'/800 lbs)
EV25	783800	Eventer Lift, W/BRK (25'/650 lbs)

GANTRYS

GH 3/4 T	785307	8 x 8 8' Beam (1,500 lbs)
GH 2 T	785103	8 x 8 8' Beam (4,000 lbs)
GH 5 T	785806	12 x 12 12' Beam (10,000 lbs)

CHAIN / LEVER HOISTS

PCB100C20WO	787450	1T Chain Hoist 20' LFT&OLP
PCB200C20WO	787458	2T Chain Hoist 20' LFT&OLP
PCB300C20WO	787462	3T Chain Hoist 20' LFT&OLP
PLH100C15WO	787514	1T Lever Hoist 15' LFT&OLP
PLH250C15WO	787522	2.5T Lever Hoist 15' LFT&OLP

PALLET JACKS

PJ20	779766	20.5"x48" 6,600 LB capacity pallet
PJ27	779765	27"x48" 6,600 LB capacity pallet Jack



\$10000 USD NET PREPAID FREIGHT



BOMAG
FAYAT GROUP

COMPACTION EQUIPMENT
FOB NORTH CAROLINA, PREPAID FREIGHT \$30,000+ CDN



BT 65



BT 50

TAMPERS - 4 STROKE HONDA ENGINE

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BT 30	5.5 in	71 lbs	2,248 lbs	2.0 HP Honda GX 50
BT 50	11.0 in	116 lbs	3,222 lbs	3.8 HP Honda GXR120
BT 60	11.0 in	128 lbs	3,372 lbs	3 HP Honda GXR120
BT 65	11.0 in	150 lbs	3,822 lbs	4 HP Honda GXR120

SOIL PLATE COMPACTORS - SINGLE DIRECTION

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BP 10/30	14.2 in	183 lbs	2,250 lbs	3 HP Honda GX100
BP 12/35	13.8 in	148 lbs	2,698 lbs	4 HP Honda GX120
BP 12/50	19.7 in	148 lbs	2,698 lbs	4 HP Honda GX120
BP 15/40	15.7 in	183 lbs	3,372 lbs	4 HP Honda GX120
BP 20/45	17.7 in	203 lbs	4,496 lbs	5HP Honda GX160
BP 25/50	19.7 in	238 lbs	5,620 lbs	5 HP Honda GX160

BVP 10/30

BVP 18/45



BPR 60/65 D/E

****NEW****
1000lb GAS MODEL
SAME CENTRIFUGAL FORCE FOR
THOUSANDS LESS!

REVERSIBLE PLATE COMPACTORS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BPR 25/40	15.7 in	245 lbs	5,620 lbs	5 HP Honda GX 160
BPR 35/60	23.6 in	430 lbs	7,868 lbs	5 HP Honda GX 160
BPR 45/45	21.7 in	750 lbs	10,116 lbs	8 HP Honda GX
BPR 50/55 D/E	21.7 in	882 lbs	11,250 lbs	9 HP Hatz 1B40
★ BPR 60/65	25.6 in	926 lbs	13,500 lbs	13 HP Honda GX390
BPR 60/65 D/E	25.6 in	1,003 lbs	13,500 lbs	9 HP Hatz 1B40
BPR 70/70 D/E	27.6 in	1,276 lbs	15,736 lbs	12 HP Hatz 1D81

WALK BEHIND ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BW 55 E	22 in	355 lbs	2,250 lbs	3.4 HP Honda GX120
BW 65	28 in	1,587 lbs	5,620 lbs	11 HP Honda GX 390



BW 55E



BW 65

TRENCH ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BMP 8500	33.5/24 in	3,622 lbs	8,000/ 16,000 lbs	19.4 HP KUBOTA D1005

BMP 8500



RIDE - ON DOUBLE DRUM ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BW 900-50	36"	2,539 lbs	3,395 lbs	20 HONDA GX 630
BW 90 AD-5	36"	3,527 lbs	3,822 lbs	20.2 HP KUBOTA D902

BW 900-50



RIDE - ONE SINGLE DRUM ROLLERS

48" BW124 DH-5 56" BW145 D-5 66" BW177 D-5 84" BW211 D-5

BW211 D-5



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850

**CALL FOR
PERCENTAGE
DISCOUNTS**

TSURUMI PUMP

SUBMERSIBLE PUMPS



SUBMERSIBLE DEWATERING PUMPS

Part #	Size	HP	Voltage	Amps	Head (ft)	GPM
LB-480	2"	2/3	115/230	5.9/3.0	40	63
LB-480A (Auto)	2"	2/3	115	5.9	40	63
LB-800	2"	1	115/230	10.5/5.2	59	82
LB-800A (Auto)	2"	1	115/230	10.5/5.2	59	82
LB-1500	3"	2	115/230	26.2/13.2	69	111
NK2-15	3"	2	110/220	23/11.5	69	111
NK4-22	3"	3	230	11.7	85	131
NK3-22L	3"	3	220	13	59	211

SUBMERSIBLE TRASH PUMP WITH AGITATOR

Part #	Size	HP	Voltage	Amps	Head (ft)	GPM
HS2.4S	2"	1/2	115/230	5.2/2.7	39	53
HSE2.4S (Auto)	2"	1/2	115	5.2	39	53
HSZ2.4S (Auto)	2"	1/2	115/230	5.2/2.7	39	53
HS2.75S	2"	1	115	10	62	55
HS3.75S	3"	1	115/230	9.7/4.9	62	61
HS3.75SL	3"	1	115/230	9.7/4.9	36	132
HSZ3.75S (Auto)	3"	1	115/230	9.7/4.9	62	61
HSD2.55S (Heavy Duty)	2"	3/4	115	7.5	43	58

LOW LEVEL-SUBMERSIBLE DEWATERING PUMPS

Part #	Size	HP	Voltage	Amps	Head (ft)	GPM
LSC1.4S	3/4	2/3	115	5.9	39	45
LSR2.4S	2	2/3	115	5.9	40	63

Prices in CDN

CALL FOR QUANTITY DISCOUNTS

Prepaid on \$5000
(Excludes Diesel Trash Pumps)



TSURUMI PUMP GAS PUMPS

**CALL FOR
QUANTITY
DISCOUNTS**



GAS CENTRIFUGAL PUMPS						
Part #	Size	HP	Engine	Brand	Head (ft)	GPM
TE2-25HA	1"	1.1	GX-25	Honda	115	34
TE3-50HA	2"	4	GX-120	Honda	105	137
TE3-80HA	3"	5.5	GX-160	Honda	105	264
TE2-100HA	4"	8	GX-240	Honda	92	476

GAS TRASH PUMPS						
EPT3-50HA	2"	5.5	GX-160	Honda	92	185
EPT3-80HA	3"	8	GX-240	Honda	92	357
EPT3-100HA	4"	11	GX-340	Honda	95	569

GAS HIGH-PRESSURE PUMPS						
THP4070HA	1.5"	5.5	GX-160	Honda	230	100

GAS/ELECTRIC DIAPHRAGM PUMPS						
TD6-200	2"	4	GX-120	Honda	25	50
TD6-300	3"	4	GX-120	Honda	25	88
TDE6-200 ⚡	2"	4	115/230V	15.9A/8A	25	33
TDE6-300 ⚡	3"	4	115/230V	15.9A/8A	25	59



TSURUMI GENERATORS

**HONDA
ENGINES**

FREE WHEEL KIT INCLUDED

**(PGWK-200X) - \$333 VALUE
Fits Both Generators and Gas Pumps!**

7500 Series Generators Receive an Additional Lifting Bail (\$142 Value)



BACKED BY A 2 YEAR WARRANTY*

MODEL	Rated Output	Engine	HP	Fuel Tank	Weight
TPG4-3000HCSA	2800 W	GX-160	5.5	4.2 Gal	102 lbs
TPG4-3400HCSA	3400W	GX-200	5.8	4.2 Gal	116 lbs
TPG4-4500HCSA	4500 W	GX-240	8	6.6 Gal	157 lbs
TPG4-6000HCSA	5500 W	GX-340	11	6.6 Gal	176 lbs
TPG4-7000HCSA	6800 W	GX-390	13	6.6 Gal	185 lbs
TPG4-7000HECSA	6800 W	GX-390 (E-Start)	13	6.5 Gal	190 lbs
TPG4-7500HCSA	7500 W	GX-390	13	6.5 Gal	195 lbs
TPG4-7500HECSA	7500 W	GX-390 (E-Start)	13	6.6 Gal	211 lbs



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



BULL FLOATS

36-60 in magnesium & aluminum
Flat, channel & Fresno styles
Snap & threaded handles



FRESNO FLOATS

Combo & blade-only options
Large slab finishing
Rental-proven systems



HAND TROWELS

Magnesium, blue steel & stainless
Pool & finish trowels



EDGERS

Sidewalk & curb profiles
Consistent clean edges



HAND GROOVERS

Straight & angle grooves
Control joint formation



WALKING GROOVERS

Long straight joint runs
Flatwork efficiency



PLACERS

Steel & aluminum placers
Material control on pour



CONCRETE RAKES

V-notch & come-along rakes
Grade & spread control



SCREEDS

Aluminum screeds
Flatwork leveling



DARBIES

Magnesium & aluminum
Wall & slab smoothing



SMOOTHERS

Hand smoothers
Final surface finish



CONCRETE BRUSHES

Texture & broom finishes
Slip resistance



\$1800 USD NET PREPAID FREIGHT



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



POWER TROWEL BLADES

Combo, float & finish
Fits most walk-behind
trowels



PROFORM® FLOAT PANS

Heavy-gauge steel
Large slab finishing



FLOAT BLADES

Initial slab floating
Rental consumable



CONCRETE HAWKS

Magnesium & aluminum
Concrete & plaster use



WALKING EDGERS

Sidewalk edge runs
Productivity tools



STEP TOOLS

Steps & risers
Clean profile forming



REPLACEMENT HANDLES

Wood & composite
Snap & threaded




TILT BRACKETS

Bull float & Fresno
Angle control



HARDWARE & ADAPTERS

Fleet repair support
Downtime reduction



LAYOUT TOOLS

Line pins & string
Form alignment



MEASURING TOOLS

Rods & straight edges
Pour accuracy



JOB-SITE ACCESSORIES

Buckets, scrapers



\$1800 USD NET PREPAID FREIGHT



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



CP500
HIGH-SPEED SAW
70184647563

- 5.4 HP Gas
- 14" Blade Capacity

GC55
EARLY ENTRY SAW
70184630005

- 5.5 HP Honda
- 10" Blade Capacity

C914P
COMPACT PUSH SAW
70184608504

- 9 HP Honda
- 14" Blade Capacity

CS1320E
ECONOMY PUSH SAW
70184634168

- 13 HP Honda
- 20" Blade Capacity
- Optional Water Tank

CS1320P
PREMIUM PUSH SAW
70184634166

- 13 HP Honda
- 20" Blade Capacity

Recommended Blades:

70184684181 – ValuPlus GP
70184684547 – 4X4

70184633868 – 6" GMAX
70184633867 – 10" GMAX

70184609680 – Multi-Cut
70184603333 – Abrasive/Asphalt

70184603330 - 20" Combo
70184603329 - 18" Combo

70184603330 - 20" Combo
70184603329 - 18" Combo



C2224SD
SELF-PROPELLED SAW
70184633329

- 24" Blade Capacity
- 22 HP Honda
- Optional Water Tank

BBM307
MINI MASONRY SAW
70184600684

- 3 HP, 115/1 Volt Brushed Motor
- 14" Blade Capacity

CTC1020XL
TILE SAW
70184681496

- 2 HP
- 10" Blade Capacity

CTR1042L
TILE RAIL SAW
70184633426

- 1.5 HP
- 10" Blade Capacity
- Can rip up to 48" tiles

CDR620
CORE DRILL RIG
70184634236

- High-torque 3-speed motor
- Tilt column stand, for 45-degree inclines

Recommended Blades:

70184633844 - 24" Combo
70184681476 - 24" Asphalt

70184684181 - ValuPlus GP
70184684525 - Charger Turbo

07660702784 - Cont. Rim
70184684185 - Cont. Rim Slicer

70184608971 - Slicer Turbo Mesh
70184683783 - Aero-Jet Turbo

70184682785 - 3" Charger
70184682787 - 4" Charger

High-Speed Diamond Blades



Multi-Material	Multi-Material	Multi-Material	General-Purpose
4X4 MAX CUT ♦♦♦♦♦	4X4 ♦♦♦♦♦	MULTI-CUT ♦♦♦♦♦	VALUPLUS ♦♦♦♦♦
70184645926 14"	70184684547 14"	70184645306 16"	70184609680 14"
		70184631788 16"	70184684180 12"
			70184684181 14"

Large Diameter Diamond Blades

Wet Cutting

CLASSIC ♦♦♦♦♦	CHARGER ♦♦♦♦♦	CLASSIC ♦♦♦♦♦	CHARGER ♦♦♦♦♦	CLASSIC ♦♦♦♦♦	MULTI-CUT ♦♦♦♦♦
Cured Concrete		Asphalt		Asphalt & Concrete overlay (combo)	
Medium Aggregate		Hard Aggregate			
SIZE 18" x .125" x 1"	PART# 70184634295	PART# 70184634301	PART# 70184681376	PART# 70184634205	PART# 70184603329
					PART# 70184633218

18" - 36" AVAILABLE



ABRASIVE CUT - OFF WHEELS	Size	STD PKG	PART #	PART #	PART #
	12" x 1/8" x 1"-20mm	10	66252837838	66252837840	66252837839
	14" x 1/8" x 1"-20mm	10	70184601493	70184601492	70184601491



INDUSTRIAL GRADE, RIGHT ANGLE / TYPE 1 / TYPE 27



ABRASIVE ZIP - CUT WHEELS	Size	STD PKG	PART # (Flat)	PART # (Depressed Center)
	4-1/2" x .045" x 7/8"	25	70184601455	70184601465
	5" x .045" x 7/8"	25	70184601456	70184601466



WET CORE BITS	SIZE	◆◆◆◆◆			◆◆◆◆			◆◆◆◆◆			◆◆◆◆◆			◆◆◆◆◆		
		PARADIGM	CHARGER	CLASSIC	PARADIGM	CHARGER	CLASSIC	PARADIGM	CHARGER	CLASSIC	PARADIGM	CHARGER	CLASSIC			
	2"	70184601410	70184682782	70184682762	8"	70184601419	70184682793	70184682773								
	3"	70184601412	70184682785	70184682765	10"	70184601706	70184682794	70184682774								
	4"	70184601414	70184682787	70184682767	12"	70184601707	70184682795	70184682775								
	6"	70184601417	70184682791	70184682771	14"	70184601708	70184682796	70184682776								



Product Type	Circular Paper / Screens			Circular Floor Maintenance Pads			
	Sanding Paper	Sanding Screen		White	Red	Green	Black
Grit Available	12 - 100	60 - 220		Polishing	Buffing	HD Scrubbing	Stripping
Size Available	16"/17" x 2"	17" / 20"		13" - 18"	13" - 18"	13" - 18"	13" - 18"
Pack Qty	10	10		5	5	5	5



Product Type	Portable Sanding Belts			Drum Sanding Sheets	
	MultiSand	MultiSand	MultiSand	DU-8 or EZ8	SL-8
Grit Available	36 - 120	36 - 120	36 - 120	16 - 100	16 - 100
Size	3" x 21"	3" x 24"	4" x 24"	8" x 19-1/2"	8" x 20-3/16"
Pack Qty	5	5	5	50	50

MANY MORE STYLES AVAILABLE!



Product Type	Orbital Paper Sheets			Orbital Sanding Screens	
	PSA Paper	PSA Paper	Double Sided	Single Sided	Double Sided
Grit Available	12 - 100	12 - 100	12 - 100	60 - 220	60 - 220
Size	12" x 18"	12" x 18"	12" x 18"	12" x 18"	14" x 20"
Pack Qty	10	10	10	10	10



M17



M27



M55

Model	Free Air (CFM)	Make	HP	Full Speed (rpm)	Fuel Cap. (gal)	Weight (lb.)	Air Outlets	L x W x H (in.)
M17	60 (100 PSI)	Honda GX630	17	2300 - 3300	5	523	1 x 1/2"	43 x 32 x 31
M27PE	92 (100 PSI)	Kubota D1105-B Tier 4 Final	21	2850	10.6	1268	2 x 3/4"	119* x 50 x 51
M55PE	185 (100 PSI)	Kubota D1803CR-T Tier 4 Final	43	2300-2700	210	1918	2 x 3/4" 1 x 1"	120* x 60 x 58
M59PE	195 (145 PSI)	Hatz 3H50TIC	48	2200-2700	21	1860	2 x 3/4" 1 x 1"	120* x 60 x 58
M82	295 (100 PSI)	Kubota V3307-CR-T Tier 4 Final	68	2400	37	3461	3 x 3/4" 1 x 1 1/2"	158* x 70 x 60
M118	405 (100 PSI)	Hatz 3H50TIC	107	2050-2200	21	1860	3 x 3/4" 1 x 1 1/2"	188* x 74 x 68
M125	405 (125 PSI)	Deutz TCD 4.1.L04 Tier 4 Final	121	1950-2200	45	4453	3 x 3/4" 1 x 1 1/2"	188* x 74 x 68
M171	600 (125 PSI)	Deutz TCD 6.1.L06 Tier 4 Final	145	1450-1800	82	6138	3 x 3/4" 1 x 2"	200* x 82 x 71
M255	935 (125 PSI)	Cummins B6.7 Tier 4 Final	259	1500-1900	93	7214	3 x 3/4" 1 x 2"	221* x 79 x 81



M82



M118



M125



CHIPPING HAMMERS

**WHIP HOSES INCLUDED!
HEX OR ROUND CHUCK**

**KTC-T3S
KTC-T4S**



**TOP TRIGGER
SCREW-ON**

**KTC-3S
KTC-4S**



**D-HANDLE INSIDE
TRIGGER SCREW-ON**

**KTC-P3S
KTC-P4S**



**OPEN HANDLE
SCREW-ON**

**KTC-D3S
KTC-D4S**



**D-HANDLE TOP
TRIGGER SCREW-ON**

KTC-L



**LIGHT WEIGHT
STD. RETAINER**

**KTC-P3
KTC-P4**



**PISTOL HANDLE
STD. RETAINER**

**KTC-T2
KTC-T3
KTC-T4**



**TOP TRIGGER
STD. RETAINER**

**KTC-2
KTC-3
KTC-4**



**INSIDE TRIGGER
STD. RETAINER**

RIVET BUSTERS

**INDUSTRY STANDARD
JUMBO SHANK WITH NOISE
REDUCING MUFFLERS**

KT-RB5



5"

20LB CLASS

KT-RB6



6"

26LB CLASS

KT-RB8



8"

30LB CLASS

KT-RB11



11"

40LB CLASS

ROCK DRILLS

KT-RD9



9LB CLASS

KT-RD30



30LB CLASS

KT-RD50



50LB CLASS

KT-RD60



60LB CLASS

KT-RD75



65LB CLASS

PAVING BREAKERS

KT-PB30



30LB CLASS

KT-PB40



40LB CLASS

KT-PB60



60LB CLASS

KT-PB90



90LB CLASS

WATER KITS AVAILABLE, LOCAL STOCK AVAILABLE



Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850

FROST *Fighters*

FOB WINNIPEG



**OPTIONAL FEATURE:
HEAT RECOVERY SYSTEM**
HELPS PREVENT FUEL FILTER FROM
FREEZING DURING OPERATION



- Fully Insulated Jacket and Front Cap, Lifting Bale Included.
 - Complete Stainless Steel Heat Exchanger.
- Oil Fired: (over) 80% more Efficient!
Propane/LNG, 3 Trials for Ignition and Easy Ball Valve Change Over from Propane to Natural Gas.

OPTIONAL HEAT RECOVERY SYSTEM FOR OIL FIRED HEATERS
IDF350-11, IDF500, IDH400QR & IDH500QR
brings heated air back to the fuel filter and control area.

OPTIONAL XLT 60 US GALLON DW FUEL TANK
For IDF350-11, IDF500, IDH400QR & IDH500QR
Comes with forklift pockets and 6-ply Foam filled Tires

IDF HEATERS LP/NG and Diesel Models Available

MODEL	Heating	Voltage	Weight	CFM	Max. Duct
IDF350-II	350,000 BTU	120V / 15A	580 lbs	2500 CFM	Up to 50'
IDF500	500,000 BTU	120V / 15A	580 lbs	3100 CFM	Up to 50'

IDH-QR HEATERS Indirect Fired Recirculating Static Style Heater

MODEL	Heating	Voltage	Weight	CFM	Max. Duct
IDH200QR	170,000 BTU	120V / 15A	320 lbs	1610 CFM	Up to 100'
IDH400QR	400,000 BTU	120V / 15A	580 lbs	2800 CFM	Up to 100'
IDH500QR	500,000 BTU	120V / 15A	580 lbs	4800 CFM	Up to 100'



- 4"/5" of Static Pressure
- 2 x 16"/20" Outlets & Inlets
- Low Fire / High Fire 2-stage Firing
- Forklift Pockets
- Easy Ball Valve to Switchover from Propane/LNG
- Beckett Burner w/ Optional EZ Burner Change



IHS HEATERS Indirect Fired, High Static, Base-Mounted Systems

MODEL	Heating	Voltage	Weight	CFM	Max. Duct	Oil / Diesel	Propane / LNG
IHS700P	700,000 BTU	120V / 15A	1,600 lbs	4600 CFM	Up to 100'		
IHS700H	700,000 BTU	120V / 15A	1,600 lbs	8000 CFM	Up to 100'		
IHS1500	1,500,000 BTU	120V / 15A	2,500 lbs	11000 CFM	Up to 100'		

12" Ducting

48301	12"x12' Orange Canvas w/Pin
48305	12"x12' High Temp Black w/Belt
47102A	12"x25' High Temp Black w/Belt

16" Ducting

47102B	16"x16' High Temp Black w/Belt
47104A	16"x25' High Temp Black w/Belt
49100	20"x25' High Temp Black w/Belt



Poly Ducting

48105	12"x25ft Yellow Poly RETURN w/Belt
47104	16"x25ft Yellow Poly RETURN w/Belt
49101	20"x25ft Yellow Poly RETURN w/Belt

Accessories

47300	Remote Thermostat w 2' Cord
47301	Remote Thermostat w 25' Cord
50731	Lifting Bail (IDF350/500 Series)
60165	Genysis Diagnostic Reader

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850

MIXERS



- Heavy / thick material
- 140 L mixing capacity
- Forced-action mixing system
- 1100 W geared motor
- Single speed (high-torque)
- Weight: 265 lb
- Size: 48-54" H x 30" W x 39" D

FAM-120



- Thin / medium material
- 4-bag / 220 lb capacity
- 120 V / 1800 W
- 2-speed: 300 / 650 RPM
- Weight: 51 lb
- Size: 51" H x 21" W x 25" L
- Ultra Fast mixing

MS-120



- Thin / medium material
- 5-bag mix / 330 lb capacity
- 120 V / 2200 W
- 2-speed: 300 / 650 RPM
- Weight: 72.8 lb
- Size: 52.2" H x 24.1" W x 29.1" L

MS-150

LIFTS // TROLLEYS // POWER BOXES



- Weight: 60.6 lb
- 1110 mm x 570 mm x 540 mm
- 20°-80° angle position
- 35 lb-42 lb jackhammers
- Fits Bosch, Hilti, Makita etc.

JHT



- Weight: 97 lb
- Lift Range: 1 ft - to 6 ft 2 in
- Folds flat
- 50 lifts per charge
- Lift Capacity: up to 309 lb

PHT



- Weight: 474 lb
- Output: 6.5 kW continuous
- Battery Size: 15 kWh
- Outlets:
 - 2 x 20 A 120 V GFCI
 - 1 x 30 A 120 V •
 - 1 x 50 A Bates 120 V USB-A/C

PPB 6-15

GENERATORS



**16kW 240V
16kW 480V**



**23kW 240V
23kW 480V**



32kW 480V

Model	Phase / Voltage	Max Power	Continuous Power	Outlets	Engine	Weight (lb)	Fuel Tank (L)
16kW 240V	Single/Three-Phase 120V / 240V	16000 W	15000 W	1 X CS8369 1 X CS6369 1 X L14-30R 2 X 20A 120V	Honda GX690	342	34
16kW 480V	Single/Three-Phase 120V / 240V	16000 W	13500 W	1 X L22-30R 1 X L16-30R 2 X 20A 120V	Honda GX690	342	34
23kW 240V	Single/Three-Phase 120V / 240V	24100 W	23000 W	1 X CS8369 1 X CS6369 1 X L14-30R 2 X 20A 120V	VanGuard 61G277	573	50
23kW 480V	Single/Three-Phase 120V / 240V	25000 W	22500 W	1 X CS8169 1 X L22-30R 1 X L16-30R 2 X 20A 120V	VanGuard 61G277	573	50
32kW 480V	Single/Three-Phase 120V / 240V	28000 W	25200 W	1 X CS8169 1 X L16-30R 4 X 20A 120V	Dual Honda GX690	772	50

PRESSURE WASHERS



HDS 3.5/40 GE MT

POWERED BY HONDA

GAS HOT WATER TRAILER

Part No. 1.103-844.0

3.5 GPM at 4000 PSI, Direct Drive
Honda GX390



POWERED BY HONDA

HD 3.0/27 G

GAS PRESSURE WASHER

PART No. 9.807-719.0

3.0 GPM at 2700 PSI, Direct Drive
Honda GX200

HOT WATER WASHERS

HDS 2.8/25 P CAGE

POWERED BY HONDA

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-555.0

2.7 GPM at 2400 PSI, Direct Drive,
Honda GX200



POWERED BY HONDA

HD 4.0/40 G

GAS PRESSURE WASHER

PART No. 9.807-721.0

4.0 GPM at 4000 PSI, Direct Drive
Honda GX390

HDS 3.5/30 P CAGE

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-553.0

3.5 GPM at 3000 PSI, Direct Drive,
Honda GX390



HD 3.0/27 G Teton

GAS PRESSURE WASHERS

PART No. 1.107-398.0

3.0 GPM at 2700 PSI, Direct Drive
Karcher Engine

HD 4.0/40 G Teton

GAS PRESSURE WASHERS

PART No. 1.107-399.0

4.0 GPM at 4000 PSI, Direct Drive
Karcher Engine

HDS 3.5/35 PE CAGE

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-553.0

3.5 GPM at 3500 PSI, Direct Drive
Honda GX390

HD 4.0/40 Ge Teton

GAS PRESSURE WASHERS

PART No. 1.107-400.0

4.0 GPM at 4000 PSI, Direct Drive
Karcher Engine

SURFACE CLEANER

SCW 2.4/25 G

POWERED BY HONDA

GAS SURFACE CLEANER

PART No. 1.107-380.0

2.4 GPM at 2500 PSI, Direct Drive
Honda GX200



HD 1.8/13 C Ed

ELECTRIC PRESSURE WASHER

PART No. 1.520-916.0

1.8 GPM at 1300 PSI, Direct Drive
14A, 120V Electric

FLOOR SCRUBBERS

SCRUBBERS

BD 80/100 W BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-456.0
32,025 (22,770) sq. ft/h
Pad Driver, AGM or Wet Batteries
32" Cleaning Path



BD 70/75 W BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-466.0
30,645 (19,920) sq. ft/h
Pad Driver, AGM or Wet Batteries
28" Cleaning Path

BD 50/50 C BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-369.0
21,530 (13,995) sq. ft/h
Pad Driver, AGM or Wet Batteries
20" Cleaning Path



CHARIOT 2 ISCRUB 20

RIDE ON SCRUBBER

Part No. 1.008-008.0
18,800 sq. ft/h
Pad Driver, AGM or Ah Batteries
20" Cleaning Path



VACCUUMS

NT 48/1

WET/DRY VACCUM

PART No. 1.428-623.0
1380 W, 142 cfm,
12 Gal Capacity
Front Squeegee Available



NT 68/1

WET/DRY VACCUM

PART No. 1.013-021.0
1200 W, 142 cfm
18 Gal Capacity
Front Squeegee Available



EXTRACTORS

BRC 30/15 C

CARPET EXTRACTOR

Part No. 1.008-058.0
26 PSI Pump, 0.38 GPM
4.5 Gal Solution / 4 Gal Recovery
10.5" Cleaning Path



SWEEPERS

KM 70/20 C

WALK BEHIND SWEEPER

Part No. 1.517-130.0
30,100 (42,200) sq. ft/h
Cleaning Path, Push Propelled
11 Gal Capacity



FLOOR MACHINES

BDS 43/175 C

FLOOR MACHINE

Part No. 1.009-102.0
1,923 sq. ft/h
17" Pad, 175 RPM, 1.5 HP



BURNISHERS

BDP 51/1500 C

BURNISHER

Part No. 1.009-101.0
9,091 sq. ft/h
20" Pad, 1500 RPM, 1.5 HP



DIAMOND TOOLS & EQUIPMENT



PREPAID FREIGHT \$900+ on Diamonds or 5+ Pieces of Equipment

PRICES IN CDN NET

USE ON:

- CURED CONCRETE
- GREEN CONCRETE
- ASPHALT
- BLOCK
- BRICK

MULTI USE BLADES

12" x .125" x 1"-20mm DP	D11030
12" x .125" x 20mm DP	D11050
14" x .125" x 1"-20mm DP	D11031
14" x .125" x 20mm DP	D11051
16" x .125" x 1"-20mm DP	D11032
16" x .125" x 20mm DP	D11052
18" x .125" x 1"-20mm DP	D11033
20" x .145" x 1"-20mm DP	D11034
24" x .145" x 1" DP*	D11080




C-51 Segmented/Double Pointed Core Bits

2"	D36101	4"	D36108
2 1/2"	D36103	4 1/2"	D36110
3"	D36105	5"	D36112
3 1/2"	D36107	5 1/2"	D36113
		6"	D36115



Hammer Drill Adapters for Diamond Core Bits



Adapter shanks are short enough to prevent the hammer action from engaging allowing the tool to be used as a rotary drill.

Description	Part No.
SDS Max to to 5/8-11" M Rotary	151623
SDS Plus to 5/8-11" Rotary	151670



4"x.080x7/8"-5/8"	D96403	8"x.080"xDM-7/8"-5/8"	D96408
4.5"x.080"x7/8"-5/8"	D96404	9"x.095"x7/8"-5/8"	D96409
5"x.080"x7/8"-5/8"	D96405	10"x.110"x7/8"-5/8"	D96410
6x.080"x7/8"-5/8"	D96406	12"x.125"x1"-20mm DP	D96401
7"x.080"xDM-7/8"-5/8"	D96407	14"x.125"x1"-20mm DP	D96402

Turbo Fast Segmented Life

Use on:

Compact Scrubber Package Deal:

- TG-516 Compact Scrubber with Pad Driver
- Poly Scrub Brush
- 5 ea. Black and White Maintenance Pads
- 3 ea. Daily Cleaner Gallon Bottles
- 1 ea. HD Concentrated Cleaner/Degreaser Gallon Bottle



Concrete Destroyer

Cleans and removes dry, hardened concrete off practically anything without the hazard of acids!

No Toxic Fumes!

Description	Part No.
32-oz. spray bottle*	100316
1 gallon bottle**	100317
5 gallon bucket	100318



32-oz bottle*

DIAMOND TOOLS & EQUIPMENT



PREPAID FREIGHT \$900+ on Diamonds or 5+ Pieces of Equipment

PRICES IN CDN NET

HIGH SPEED PROFESSIONAL GRINDERS



TG8

- » 2800rpm,
- » 120v/18.4A,
- » lightweight (130Lbs),
- » portable,
- » 50FT Heavy Duty cord,
- » TEQ-Lok tooling (x4 RH rotation).



TG12

Propane Grinders Also Available!



TG18

SHIBUYA CORE BIT DRILLS



HH1531

SHIBUYA Hand Drill

Features:

- Built-in on/off switch with motor overload protection
- Slip clutch is adjustable without disassembly
 - 360° position water swivel inlet
- Roller carriage for smooth and precise drilling and longer life
- Right and left hand feed han-



HH2021

SHIBUYA TS-255 ABV

Eagle by DITEQ SWING MACHINES



G00143

HEAVY DUTY Swing Machine



G00103

Swing Machine



G-TEQ 550H

Early Entry Saw

F50010

Liberty Bell Early Green Sawing



Free Plate with 3-Blade Purchase



50# Breaker w/ VIBRO-Reduced T-Handle (1-1/8 Chuck) Part No. H20005 + Moll Point Chisel Part No. 151890.



Hydraulic Flow Divider (140746)

SAWS



Hydraulic 16" RING SAW

H00018

CARDI TP400 16" Electric Hand Saw

H00011



Includes Free 16" Brute Blade D11162



VACCUMS



4 - 20 GAL WET VACCUM (SQUEEGEE OPTION AVAILABLE)

160825



HEPA 160CFM Dual Motor

162242



IMER®

CONCRETE MIXERS

Portable 5CF Wheelbarrow Style Mixer



Part #	Model	Motor	Drum
1126608	Minuteman II	110V / 60 Hz 0.5 HP	Steel Drum
1126632	Minuteman II	110V / 60 Hz 0.5 HP	Poly Drum
1105421	Wheelman II	110V / 60 Hz 0.5 HP	Poly Drum
1105422	Wheelman II	110V / 60 Hz 0.5 HP	Steel Drum
1105490	Wheelman II	360° Swivel Stand	

Portable 12 CF Mixer



1105802	Multi-Mix 350	110V / 60 Hz 0.5 HP	Steel Drum
---------	---------------	---------------------	------------

Towable 9CF - 12CF Mixer



1105851	Workman II 250	9CF Mixer without Motor	Steel Drum
1105850	Workman II 250	5.5 HP Honda GSX	Steel Drum
1105856	Workman II 350	12CF Mixer without Motor	Steel Drum
1105855	Workman II 350	5.5 HP Honda GSX	Steel Drum

14 Gallon/50 lb Bag Capacity Mixer



1193988	Mix-All 60	0.75 HP 110V Electric Bucket Mixer	Poly Drum
1193968K	Mix-All 60	5 Pack of Buckets	

Portable 4CF Vertical Shaft Mixer



1194302	Mix 120 Plus	2 HP 110V Portable Specialty Mixer	+ iDUST Grate
1107618	Mix 120 Plus	Rubber Paddle Kit	

Towable 9CF Vertical Shaft Mixer



1194585	Mix 360	Mixer without Motor	
1194578	Mix 360	11 HP Honda Gas motor	

Towable Horizontal Shaft Mortar Mixer (Gas / Electric)



1130061 / 1130062	HSM 6	6 CF Steel Drum Mortar Mixer
1130081 / 1130082	HSM 8	8 CF Steel Drum Mortar Mixer
1130121 / 1130122	HSM 12	12 CF Steel Drum Mortar Mixer

DUMPERS

Tipping Bucket & Self Loading Shovel

Part #	Model	Motor	Accessories Available	List Price
5105001	Carry 105 Gas	8 HP Honda GX		\$13,199.00
5107002	Carry 107 Gas	11 HP Honda GX		\$21,999.00



1130121

5107001

5105001 + Dump Platform

5107001 + Concrete Mixer

PREPAID ON \$10,000+ OR 6 PCS+

ALL PRICES IN USD

LIST PRICE LESS 30% USD



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850



CARRYALL



ALL THE ACCESSORIES YOUR RENTERS NEED

Specialized add-ons put frequently used tools front and center.



CARRYALL 300

CARRYALL 700

CARRYALL 1700



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ^{PI}	600 lb (263 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
13 hp (9.6 kW) peak 48-volt electric			

Perfect for light duty tasks, the Carryall 300 features a rustproof aluminum frame and bed and the tightest turning radius in its class.



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ^{PI}	1500 lb (680 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

A nearly 6 foot (67.6 in/171.7 cm) long bed makes transporting cargo easy and efficient, yet independent suspension and rack-and-pinion steering deliver a smooth ride.



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ^{PI}	1600 lb (726 kg)	25 mph (40 kph)	4
Kubota® 20.0 hp (15.0 kW) diesel ^{PI}			

With Club Car's exclusive IntelliTrak™ automatic four-wheel drive system and four forward-facing seats, this vehicle carries four passengers and their gear over the roughest terrain. Comes standard with ROPS and Seatbelts.

CARRYALL 500

CARRYALL 1500



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ^{PI}	1200 lb (544 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

This best seller delivers the right combination of speed and power for just about any job. Standard four-wheel brakes for increased stopping power when towing and hauling heavier loads.



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ^{PI}	1200 lb (544 kg)	25 mph (40 kph)	2
Kubota® 20.0 hp (15.0 kW) diesel ^{PI}	1450 lb (658 kg) ^{PI}		

Features our foolproof IntelliTrak™ fully automatic four-wheel drive system as well as our semi-independent four-link rear suspension system for a smooth ride, even when fully loaded. Comes standard with ROPS and Seatbelts.

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Front Bucket



Plow Blade



Pallet Forks

PRICING IN USD, STOCKED IN THE USA



WATER | POWER | UTILITY

550 GALLON WATER WAGGON



Tank 550 Gallon, Full Drain Polyethylene
 Pump 2" Alluminium Pump (137 GPM)
 Frame 6" Channel Iron
 Axles Tandem Leaf Spring 3,500 lb
 Tires ST225/75/R15
 Wheel Track 70.5"
 Height 62" (w/anti-siphon fill kit 70")
 Length 162"
 Width 80.5" (with fenders)
 GVWR 6,200 lbs
 Empty Weight 1,500 lbs
 Hitch Height Adjustable, 2" Ball or 3" Pintle

800 GALLON WATER WAGGON



Tank 800 Gallon, Full Drain Polyethylene
 Pump 2" Alluminium Pump (137 GPM)
 Frame 6" Channel Iron
 Axles Tandem Leaf Spring 6,000 lb w/EZ Lube Hubs
 Tires 235/80R16E
 Wheels Ttrack 76"
 Height 69" (w/fill kit 79.5")
 Length 165"
 Width 86.5" (with fenders)
 GVWR 9,000 lbs
 Empty Weight 1,960 lbs
 Hitch Height Adjustable, 2 5/16" Ball or 3" Pintle

1025 GALLON WATER WAGGON



Tank 1,025 Gallon, Full Drain Polyethylene
 Pump 2" Alluminium Pump (137 GPM)
 Frame 6" Channel Iron
 Axles Tandem Leaf Spring 7,000 lb w/EZ Lube Hubs
 Tires 235/80/R16E
 Wheel Track 70.5"
 Height 80" (w/fill kit 88")
 Length 200"
 Width 81" (with fenders)
 GVWR 14,000 lbs
 Empty Weight 2,250 lbs
 Hitch Height Adjustable, 2 5/16" Ball or 3" Pintle Ring

1600 GALLON WATER WAGGON



Tank 1,600 Gallon, Full Drain Polyethylene
 Pump 2" Alluminium Pump (137 GPM)
 Frame 7" Channel Iron
 Axles Tandem Leaf Spring 8,000 lb
 Tires ST235/85/R16
 Wheel Track 90"
 Height 90" (w/anti-siphon fill kit 98")
 Length 201"
 Width 102" (with fenders)
 GVWR 16,500 lbs
 Empty Weight 2,860 lbs
 Hitch Height Adjustable, 2 5/16" Ball or 3" Pintle

2010 GALLON WATER WAGGON



Tank 2,010 Gallon, Full Drain Polyethylene
 Pump 2" Alluminium Pump (137 GPM)
 Frame 7" Channel Iron
 Axles Tandem Leaf Spring 10,000 lb
 Tires 235/75/R17.5
 Wheel Track 90"
 Height 105"
 Length 207"
 Width 102" (with fenders)
 GVWR 21,000 lbs
 Empty Weight 3,460 lbs
 Hitch Height Adjustable, 2 5/16" Ball

**PRICED IN USD,
STOCKED IN THE US**



Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850

1 SELECT HEAD

STEEL HEADS

PART # DESCRIPTION

HP075oz 3/4"

HP100oz 1"

HP125oz 1-1/4"

HP150oz 1-1/2"

HP175oz 1-3/4"

HP200oz 2"

HP250oz 2-1/2"

SHORT HEADS

HSP075oz 3/4" x 6"

HS125oz 1-1/4" x 6"

HS175oz 1-3/4" x 6"

2 SELECT SHAFT

FLEXSHAFTS

PART # DESCRIPTION

FS07oz 7 ft

FS10oz 10 ft

FS12oz 12 ft

FS14oz 14 ft

FS16oz 16 ft

FS18oz 18 ft

FS21oz 21 ft

PENCILSHAFTS

FSP03oz 3 ft

FSP06oz 6 ft

FSP09oz 9 ft

FSP11oz 11 ft

FSP15oz 15 ft

FSP20oz 20 ft

3 SELECT POWER UNIT

ELECTRIC MOTORS

PART # AMPS MAX HEAD SIZE STEEL/RUBBER

1.2oz 9 1-1/2" / NONE

1.8oz 15 1-3/4" / NONE

2.4oz 17 2" / 2-3/4" SHORT

3.2oz 19 2-1/2" / 2-3/4"

GAS BACKPACKS

BP35 Honda 35cc Backpack unit only


BP50a Honda 50cc Backpack unit only

CCEILING GRINDER

CG12E Ceiling Grinder

FSCG07H D Shaft Assembly

PRICED IN USD // STOCKED IN NEW YORK



TEMPORARY FENCING AVAILABLE INCLUDES COUPLER AND BASE PLATE*

BASE PLATE ONLY

COUPLER ONLY

VAF3000A


Blade Size	12"
Drive	Direct
Max Duct Length	125'
Housing Material	Polyethylene Case
Frequency (hz)	60/50
CFM	2796
Power (hp)	1

DUCTING

12" X 25'
VKM 24-2-0


Blade Size	24"
Drive / Speed	Direct / 2
Weight	48 lbs
Hertz / Amps	60 / 5.2
CFM	5,640
Power (hp)	1/2

VKM 36-2-B-0


Blade Size	36"
Drive / Speed	Direct / 2
Weight	85 lbs
Hertz / Amps	60 / 7
CFM	11,020
Power (hp)	1/2

42MACAP-BDF


Blade Size	42"
Drive / Speed	Direct / 2
Weight	140 lbs
Hertz / Amps	60 / 12.3
CFM	15,000
Power (hp)	1

VKM 42-2-B-0


Blade Size	42"
Drive / Speed	Direct / 2
Weight	140 lbs
Hertz / Amps	60 / 12.3
CFM	15,000
Power (hp)	1

MAC-24DCT


Blade Size	24"	Voltage / Amps	120 / 2.5
Drive / Speed	Direct / 2	CFM	4000/3200
Weight	40 lbs	Power (hp)	1/4

PRICED IN USD
FOB WASHINGTON



DEHUMIDIFIERS

DRIZAIR 1400

Removes up to **62 LITRES/DAY**

Durable rotomolded housing
Compact size for easy handling

Intuitive touchpad control

DIMMENSIONS (H X W X D) **19 x 16 x 20 in.**

WEIGHT **66 lbs / 30 kg**

AIR PROCESS AT SATURATION **215 CFM / 365 CMH**

POWER **6.4 A**



127890

LGR 6000Li

Removes up to **96 LITRES/DAY**

No-leak pump basin
Compact size for easy handling

Time saving i-series control

DIMMENSIONS (H X W X D) **32.1 x 19.8 x 20 in.**

WEIGHT **95 lbs / 43 kg**

AIR PROCESS AT SATURATION **330 CFM / 561 CMH**

POWER **6.6 A**



103614 / F600

LGR 5000Li

Removes up to **77.6 LITRES/DAY**

Stackable
Removes water as humidity drops

Digital display of temp and RH+

DIMMENSIONS (H X W X D) **19.5 x 20 x 16 in.**

WEIGHT **69 lbs / 31.3 kg**

AIR PROCESS AT SATURATION **215 CFM / 365 CMH**

POWER **5.1 A**



127690

LGR 7000XLi

Removes up to **111 LITRES/DAY**

Built-in humidistat
Digital control panel

Compact and easy to move!

DIMMENSIONS (H X W X D) **33.5 x 20 x 20 in.**

WEIGHT **107 lbs / 49 kg**

AIR PROCESS AT SATURATION **325 CFM / 552 CMH**

POWER **8.3 A**



108110 / F412

LGR 2800i

Removes up to **113.5 LITRES/DAY**

Optimized even in high temp
Humidistat control with touch pad

Sensors with inlet and outlet

DIMMENSIONS (H X W X D) **40.5 x 23 x 24 in.**

WEIGHT **160 lbs / 72.5 kg**

AIR PROCESS AT SATURATION **400 CFM / 697 CMH**

POWER **8 A**



110128 / F410

LGR 3500i

Removes up to **125 LITRES/DAY**

Displays temperature and RH
Humidistat control with touch pad

Sensors with inlet and outlet

DIMMENSIONS (H X W X D) **40.5 x 23 x 24 in.**

WEIGHT **160 lbs / 72.5 kg**

AIR PROCESS AT SATURATION **400 CFM / 697 CMH**

POWER **10.5 A**



110133 / F411

AIR MOVERS / SCRUBBERS

AP 700 (UVC Protection)

WEIGHT **44 LBS / 19.9 KG**

POWER **3 A / 115V**

CFM **275-700**



125494

HEPA 700

WEIGHT **44 LBS / 19.9 KG**

POWER **3 A / 115V**

CFM **275-700**



125105

HEPA 2000

WEIGHT **124 LBS / 56.25 KG**

POWER **7.7 A / 115V**

CFM **500-2000**



123668

SAHARA PRO X4

WEIGHT **24.3 LBS / 11 KG**

POWER **2.5A / 115V**

CFM **867 / 1473 CMH**



124315

STEALTH AV3000

WEIGHT **27.5 LBS / 12.5 KG**

POWER **2.7A, VARIABLE**

CFM **2600**



113164

VELO

WEIGHT **21 LBS / 9.52 KG**

POWER **1.9A, 1-SPEED**

CFM **1165**



125470

FILTERS

HEPA 500		HEPA 700		DEHUMIDIFIERS	
111192 (F321)	Primary Filter	125028	Primary Filter	100250 (F581)	1200 / 7000XLi
115471 (F270)	10% Pre Filter	125026	2" Pre Paper Filter	121708 (F584)	2800i / 3500i
113364 (F271)	30% Pre Filter	125029	1" Pre Paper Filter	102312 (F583)	Revolution LGR
100053 (F397)	Carbon Filter	125027	1" Carbon Filter	100254 (F579)	LGR6000Li

LADDER AND SCAFFOLD CO.




SSP




SPT



SCP1



SLF6030P



SMF6060P




SMF3660P



SCS



SGR0300



SBR



SAD1019

Part #	Description
SMF6060P	60" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SLF6030P	60" x 30" FRAME WITH COUPLING PINS & SPRING-LOCKS
SMF3660P	36" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SBR1004	4' x 10' GALVANIZED CROSS BRACE
SBR1002	2' x 10' GALVANIZED CROSS BRACE
SBR0704	4' x 7' GALVANIZED CROSS BRACE
SBR0702	2' x 7' GALVANIZED CROSS BRACE
S600-HD	BAKER SCAFFOLD (1000 LBS LOAD)
SCS	8" CASTER
SSJ24	24" SOCKET SCREW JACK W/ BASEPLATE
SSJ00	24" SOCKET SCREW JACK
SCP1	GALVANIZED COUPLING PIN WITH SPRING-LOCK
SPT	GALVANIZED PIG TAIL LOCK
SGR0300	30" GALVANIZED GUARDRAIL
SGR0500	60" GALVANIZED GUARDRAIL
SGR0700	84" GALVANIZED GUARDRAIL
SGR1000	120" GALVANIZED GUARDRAIL
SGRPP-X	GUARDRAIL POST
SSB20P	20" SIDE BRACKET
SAD0719	7' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK
SAD1019	10' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK

DIAMOND BLADES



SEGMENTED CONCRETE
BIGGEST segm height - 500" tall segm height!
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12C	
14" x .125 x 1" - 20mm	S14C	

PREMIUM SEGMENTED CONCRETE
Super premium quality .375" tall segment height
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12PRC	
14" x .125 x 1" - 20mm	S14PRC	
16" x .125 x 1" - 20mm	S16PRC	
18" x .125 x 1" - 20mm	S18PRC	
20" x .125 x 1" - 20mm	S20PRC	
24" x .155 x 1" - 20mm	S24PRC	



ASPHALT/GREEN CONCRETE
Premium quality .375" tall segment height
Cuts green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1" - 20mm	A12PR	
14" x .125 x 1" - 20mm	A14PR	
16" x .125 x 1" - 20mm	A16PR	
18" x .125 x 1" - 20mm	A18PR	
20" x .125 x 1" - 20mm	A20PR	
24" x .155 x 1" - 20mm	A24PR	



DUAL CUTTING BLADE
Super premium quality .400" tall segment height
Cuts concrete, masonry, brick, stone, green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1"-20 mm	DAC12PR	
14" x .125 x 1"-20 mm	DAC14PR	
16" x .125 x 1"-20 mm	DAC16PR	



GRINDING SHROUD



MSS455	4.5"/5"	
MSS7	7"	
MK172366	5"	

OTHER DIAMOND PRODUCTS

CORE BITS

Super premium concrete core bits .400" segment height

DCB34	3/4"	
DCB78	7/8"	
DCB1	1"	
DCB112	1-1/2"	
DCB2	2"	
DCB212	2-1/2"	
DCB3	3"	
DCB312	3-1/2"	
DCB4	4"	
DCB412	4-1/2"	
DCB5	5"	
DCB6	6"	
DCB8	8"	
DCB10	10"	
DCB12	12"	

10" FLOOR GRINDER HEADS - 10/20 SEGMENT



DG1010C	CONCRETE	
DG1020C	CONCRETE	
DG1020G	GREEN	

SPECIALTY CONCRETE CUP WHEELS

FC55811-E	5" x 5/8" - 11 flat faced	
FC55811	5" x 5/8" - 11 flat faced	
FC65811	6" x 5/8" - 11 flat faced	
HCL619	6" x 19mm - 5/8" L	
HCSQ619	6" x 19mm - 5/8 Square	
HCL578	5" x 7/8" / 5/8" Arbour L	
TCL619-E	6" x 19mm - 5/8 Triangle	
TDC778	7" Turbo Wheel	
TDC75811	7" Turbo Wheel Threaded	



Premium quality .250" tall segment height



GRINDING CUP WHEELS - DRY

	Single Row	Double Row
4" x 5/8" - 11" thread	DC145811	DC245811
4.5"x 5/8" - 11" thread	DC1455811	DC2455811
5" x 5/8" - 11" thread	DC155811	DC255811
7" x 5/8" - 11" thread	DC175811	DC275811

FASTENING PRODUCTS

QUALITY | INNOVATION | SERVICE

- Excellent speed, performance and endurance
- Designed for drilling in concrete, stone, block, masonry & brickwork
- The dynamic, chisel-shaped drill point rapidly penetrates the material and channels the drilling dust into the patented reinforced multi-flute spiral and out of the hole. This saves both time and money



SDS PLUS

Part #	Description	Usable
SDS 3166	3/16 X 6"	4"
SDS 144	1/4 X 4"	2"
SDS 146	1/4 X 6"	4"
SDS 148	1/4 X 8"	6"
SDS 386	3/8 X 6"	4"
SDS 3812	3/8 X 12"	10°
SDS 126	1/2 X 6"	4*
SDS 128	1/2 X 8"	6"
SDS 1218	1/2 X 18"	16"
SDS 586	5/8 X 6"	4"
SDS 5812	5/8 X 12"	10"
SDS 5818	5/8 X 18"	16"
SDS 348	3/4 X 8"	6"
SDS 3412	3/4 X 12"	10"
SDS 3418	3/4 X 18"	16"
SDS 112	1 X 12"	10"



- High-grade tungsten carbide tips specially designed for optimal toughness and durability
- Multi-tip for faster drilling
- Optimized reinforced flute design ensures quick and efficient removal of drilling dust
- Drill bit body produced from high quality tool steel for extended bit life
- Self-centering tip



SDS MAX

Part #	Description	Usable
MAX 1213	1/2 X 13"	8"
MAX 1221	1/2 X 21"	16"
MAX 5813	5/8 X 13"	8"
MAX 5821	5/8 X 21"	16"
MAX 5836	5/8 X 36"	31"
MAX 3413	3/4 X 13"	8"
MAX 3421	3/4 X 21"	16"
MAX 3436	3/4 X 36"	31"
MAX 7813	7/8 X 13"	8"
MAX 7821	7/8 X 21"	16"
MAX 7836	7/8 X 36"	31"
MAX 113	1 X 13"	8"
MAX 121	1 X 21"	16"
MAX 136	1 X 36"	31"
MAX 11817	1-1/8 X 17"	12"
MAX 11821	1-1/8 X 21"	16"
MAX 11415	1-1/4 X 15"	10"
MAX 11423	1-1/4 X 23"	18"
MAX 11436	1-1/4 X 36"	31"
MAX 13823	1-3/8 X 23"	18"
MAX 11223	1-1/2 X 23"	18"
MAX 13423	1-3/4 X 23"	18"
MAX 223	2 X 23"	18"

Prices in CDN



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
drewms@telus.net
604 - 760 - 9120

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

Corrie Ryan
corriemssales@gmail.com
604 - 668 - 3850

SDS MAX



Description	Part #
12" Moil Point	MP12
16" Moil Point	MP16
12" Narrow Chisel	MC12
16" Narrow Chisel	MC16
10" SDS Plus Point	PP10
10" SDS Plus Chisel	PC10
12" Chisel - 3" Wide	MC12-30
16" Chisel - 3" Wide	MC16-30
12" Bent Chisel - 3" Wide	MCB12-30
12" Chisel - 4.5" Wide	MC12-45
Asphalt Cutter	AC-MAX
Clay Spade	CS-MAX
Complete Floor Scraper	FSA-MAX-100
Steel Bush Tool	BH1-MAX
Carbide Bush Tool	BHC-MAX
3/4" Ground Rod Driver Max	GD34-MAX

HILTI 805/905/TE1000



14" Moil Point	NP14
19" Moil Point	NP19
14" Narrow Chisel	NC14
19" Narrow Chisel	NC19
14" Chisel - 2" Wide	NC14-20
19" Chisel - 2" Wide	NC19-20
14" Chisel - 3" Wide	NC14-30
19" Chisel - 3" Wide	NC19-30
14" Chisel - 4.5" Wide	NC14-45
19" Chisel - 4.5" Wide	NC19-45
Asphalt Cutter	AC-905
Clay Spade	CS-905
HD Floor Scraper	FSHD-905-100S
Steel Bush Tool	BH1-905
Carbide Bush Tool	BHC-905

To fit Hilti TE1000-AVR, TE1500-AVR, TE500, TE706, TE706-AVR, TE805, TE905, TE905-AVR

CHIPPING STEEL



Description	.680" Rnd Shank		.580" Rnd Shank	
	Oval Collar	Round Collar	Oval Collar	Round Collar
12" Moil Point	P6812OC	P5812OC	P6812RC	P5812RC
12" Narrow Chisel	C6812OC	C5812OC	C6812RC	C5812RC
12" Chisel - 2" Wide	C6812OC-20	C5812OC-20	C6812RC-20	C5812RC-20
12" Chisel - 3" Wide	C6812OC-30	C5812OC-30	C6812RC-30	C5812RC-30
Steel Bush Tool	BH1-680OC	BH1-580OC	BH1-680RC	BH1-580RC

PAVING BREAKER



	7/8" x 3-1/4" Shank	1" x 4-1/4" Shank	1-1/8" x 6" Shank
14" Moil Point	P10114	P10214	P10314
18" Moil Point	P10118	P10218	P10318
14" Narrow Chisel	C10114	C10214	C10314
18" Narrow Chisel	C10118	C10218	C10318
14" Chisel - 3" Wide	CC11114	CC11214	CC11314
18" Chisel - 3" Wide	CC11118	CC11218	CC11318
Asphalt Cutter	AC-101	AC-102	AC-103-10
Clay Spade	CS-101	CS-102	CS-103-10
Steel Bush Tool	BH101	BH102	BH103

**JUMBO RIVET
BUSTER STEEL**



Description	Part #
12" Moil	JRBP12-86
18" Moil	JRBP18-86

Description	Part #
12" Narrow	JRBC12-86
18" Narrow	JRBC18-86

RIVET BUSTER PARTS



Description	Part #
HD Floor Scraper Replacement Blade	FSHDB2MM
Floor Scraper Replacement Blade	FSAB-2MM



In-Line Oilers

Large	ILO-L
Medium	ILO-M
Small	ILO-S



Rivet Buster Upper Sleeve	RBP-US2101
Rivet Buster Lower Sleeve	RBP-LS2103
Rivet Buster Retainer Spring	RBP-RS2194
Rivet Buster Rubber Bumper	RBP-RB2104
Chipping Hammer Spring	CHR-SPRING



MSSALES



Compaction Equipment, Plate Compactors, Tampers and Rollers
1-800-782-6624 x www.bomag.com



Extension Cords, LED Lighting, Distribution Boxes and Accessories
1-800-678-3470 x www.southwire.com



Material Lifts, Gantries, Chain/Lever Hoists
(713) 747 8502 x www.SFE-brands.com



Floor Scrubbers, Hot/Cold Pressure Washers, Sweepers
1-888-705-9444 x www.karcher.com



Mixers, Rail Saws, Dumpers and More
1-800-678-3470 x www.imergroup.com



Oil, Propane and Gas Heaters
1-888-792-0374 x www.frost-fighter.com



Electric and Gas Concrete Vibrators, Ceiling Grinders
1-800-533-9055 x www.oztec.com



Electric and Gas Pumps
1-800-451-2537 x www.tsurumicanada.com



Pneumatic Tools
330-677-8884 x katcotools.com



Dehumidifiers & Fans
1.800.932.3030 x dri-eaz.com



Air Movers, Van Axial Fans, Blowers & Fans
1.800.779.3267 x pinnacleclimate.com



Tough Terrain Water Trailers and Sprayers
1-(888) 788-7752 x wyliesprayers.com



Portable & Stationary Air Compressors
1.888.425.3669 x jennycompressors.com



Utility Vehicles
1.800.258.2227 x clubcar.com



Diamond Tool and Equipment
1-800-688-1032 x diteq.com



Towable and Skid Mounted Compressors
1.800-477-1416 x ca.kaeser.com



Cutting/Grinding wheels, Abrasives, Road/Masonry/Tile Saws and Accessories
1 800 554-8003 x nortonabrasives.com



Steel Bits for Paving Breakers, Chippers, Scalers, Electric Hammers, etc.
1.800.858.8831 x championchisel.com



Professional Concrete Finishing Tools
1.800-422-2448 x krafttool.com



Drill bits, chisels, and general fastening
1.800-268-1248 x ucanfast.com



Material Handling and Jobsite Equipment
1.855-625-4639 x makinex.com

MANUFACTURER REPRESENTATIVE Providing High Quality Products for the Rental, Industrial, and Construction Markets

FELIX PASQUA
OWNER
FELIXMS@TELUS.NET
604-351-9491

DREW WOOD
OWNER
ADMINMS@TELUS.NET
604-760-9120

CASSANDRA MACDONALD
GENERAL MANAGER
ADMINMS@TELUS.NET
604-355-8381

MAX FOOKES
SALES AND MARKETING
MARKETINGMSSALES@GMAIL.COM
778-239-2450

CORRIE RYAN
OFFICE ADMIN/INSIDE SALES
CORRIEMSSALES@GMAIL.COM
604-668-3850