

MSSales

SUMMER 2024

CATALOG



MANUFACTURERS REPRESENTATIVE Providing the highest quality products for the rental and construction industry



**4032 MCCONNELL DRIVE
BURNABY, BC
V5A3A8**



604 - 668 - 3850

1(800) - 451 - 2537

ADMINMS@TELUS.NET



**MSSALES.LTD.CA
1(800)-451-2537
604-668-3850**

**Felix Pasqua
felixms@telus.net
604 - 351 - 9491**

**Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381**

**Drew Wood
adminms@telus.net
604 - 668 - 3850**

**Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104**

**Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450**



Southwire®

LED LIGHTING

LED CARTLIGHTS

PART #	DESCRIPTION
7309	Single Head Cart Light 22,000 Lumens
7300HA	Single Head Fixture Only 22,000 Lumens
7322	Double Head Cart Light 44,000 Lumens
7300DHA	Double Head Fixture Only 44,000 Lumens
9322	22,000 Lumen Quad Head 2 Stage Cart Light
9900DHA	Quad Head Fixture Only 44,000 Lumens



LED PORTABLE LIGHT STANDS

PART #	DESCRIPTION
9270	8,000 Lumen Wing Work Light W Tripod
9750	7' 50W 5,500 Lumen Single Head
9842	10' Double Head 11,000 Lumen 200 Watt
9822	24,000 Lumen Led Balloon Light



LED HIGH BAY LIGHTS

PART #	DESCRIPTION
CL60LEDG2	60W, 7200 Lumen, 18/3 SJTW
CL100LEDG2	100W, 12,000 Lumen, 18/3 SJTW
CL120LED	120W 14000 Lumen, 16/3 SJTW
CLM150LED	150W 19500 Lumen, 18/3 SJTW



LED PORTABLE WORK LIGHTS

PART #	DESCRIPTION
9125	50W 5500 Lumen Magnetic Back
6125I	Rechargeable Battery Work Light With Stand
7220	3800 Lumen H.D. Stubby Light
7270	35W 3500 Lumen Led Stubby Light
9220	8000 Lumen Wing Style Work Light
9270	8000 Lumen Wing Style Work Light W/Tripod



LED WOBBLELIGHT®

PART #	DESCRIPTION
111208	Wobblelight® 25 6000 Lumens
111211	Wobblelight® 27 10000 Lumens
111303LED	Wobblelight® 220W LED - 15000 lumens
111301LED	Wobblelight® 150W LED - 12000 lumens

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

LED LIGHTING

LED LIGHT STRINGS

PART #	DESCRIPTION
97135	50' - 18/2 STW, 4,500 Lumen LED String Light
97132	100' - 18/2 STW, 9,000 Lumen LED String Light
7164SW	50' - 14/3, 4,000 Lumen, LED String Light
7165SW	100' - 14/3, 8,000 Lumen, LED String Light
7174SW	50' LED String Light 18/3 SJTW power supply cord
7175SW	100' LED String Light 18/3 SJTW power supply cord

U-GROUND LIGHT STRINGS AND ACCESSORIES

PART #	DESCRIPTION
95135	50' Plastic Guard 12/3 STW Vinyl Light String w/5 Outlets
95137	50' Metal Guard 12/3 STW Vinyl Light String w/5 Outlets
95132	100' Plastic Guard 12/3 STW Vinyl Light String w/10 Outlets
95133	100' Metal Guard 12/3 STW Vinyl Light String w/10 Outlets
111413	Plastic Guards
111414	Metal Guards
5910	1000W Metal Halide - BT-37 Metal Halide Elliptical

ACCESSORIES

PLUGS / ADAPTERS / GFCI CORDSETS

PART #	DESCRIPTION
30040008-6	' 12/3 15A Female Straight Blade
90218802	12" 12/3 15A Female Straight Blade Connector
90208802	12" 12/3 20A Female Twist Connector
90198802	A 12/3 UG 15A
4112SW8802	2ft SJTW 12/3 Three-Way Power Block (Yellow)
5266MA	U-Ground Marincos 5-15 Straight Blade - Male
5269MA	U-Ground Marincos 5-15 Straight Blade - Female
59840000	Economy 15A - 115V Male
59850000	Economy 15A - 115V Female
18900000	GFCI MODULE TEMP BOXES



20 AMP 125V TWIST LOCK		
59860000	20A 125V	TL MALE
59870000	20A 125V	TL FEMALE
30 AMP 125V TWIST LOCK		
59620000	30A 125V	TL MALE
59630000	30A 125V	TL FEMALE
30 AMP 250V TWIST LOCK		
59640000	30A 250V	TL MALE
59650000	30A 250V	TL FEMALE



20 AMP 250V TWIST LOCK		
70620NP	20A 250V	TL MALE
70620NC	20A 250V	TL FEMALE
20 AMP 125V/250V TWIST LOCK		
71420NP	20A 125/250V	TL MALE
71420NC	20A 125/250V	TL FEMALE
30 AMP 125V/250V TWIST LOCK		
71430NP	30A 125/250V	TL MALE
71430NC	30A 125/250V	TL FEMALE

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



Southwire®

EXTENSION CORDS



CUSTOM
CORDS
AVAILABLE



2487SW8804



2588SW0002



4187SW8802



1687SW0002



3205



6415

THREE CONDUCTOR - LIGHTED END

PART #	LENGTH	DESCRIPTION	PACK
2487SW8804	25 ft.	14/3 SJTW Ext Cord Lighted End (Red)	12
2488SW8804	50 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2489SW8804	100 ft.	14/3 SJTW Ext Cord Lighted End (Red)	6
2587SW8802	25 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	12
2588SW0002	50 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	6
2589SW0002	100 ft.	12/3 SJTW Ext Cord Lighted End (Yellow)	4
2687SW0002	25 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	6
2688SW0002	50 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	4
2689SW0002	100 ft.	10/3 SJTW Ext Cord Lighted end (Yellow)	3

THREE-WAY POWER BLOCK WITH LIGHT END

PART #	LENGTH	DESCRIPTION	PACK
4187SW8802	25 ft.	12/3 SJTW Three-Way Block W/ Light End	12
4188SW8802	50 ft.	12/3 SJTW Three-Way Block W/ Light End	6
4189SW8802	100 ft.	12/3 SJTW Three-Way Block W/ Light End	4

POLAR/SOLAR EXTENSION CORDS

PART #	LENGTH	DESCRIPTION	PACK
1487SW0002	25 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1488SW0002	50 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1489SW0002	100 ft.	14/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1687SW0002	25 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	12
1688SW0002	50 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1689SW0002	100 ft.	12/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1787SW0002	25 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	6
1788SW0002	50 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	4
1789SW0002	100 ft.	10/3 SJEOOW Polar/Solar® Standard (Yellow)	3

SPEC GRADE CORDSETS

PART #	LENGTH	DESCRIPTION	PACK
3101	100 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3105	50 ft.	10/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3201	100 ft.	12/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
3205	50 ft.	12/3 SOW UG RUBBER 15A 125V (NEMA 5-15)	1
1030	100 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
1035	50 ft.	10/3 SOW TL RUBBER 30A 250V (NEMA L6-30)	1
6415	50 ft.	50' 10/4 30A 125/250V (L14-30) DEVICES	1
6410	100 ft.	100' 10/4 30A 125/250V (L14-30) DEVICES	1

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



Southwire®

TEMP POWER

X-TREME BOX™ DISTRIBUTION BOXES

PART #	DESCRIPTION
6506UGSX	50A TEMP PWR BOX 6-STRAIGHT BLADE SLED BASE
8706UGCX	50A TEMP PWR BOX 6-STRAIGHT BLADE ROLL CAGE BASE
6508UGSX	50A 125/250V 4-OUTLET 20A UG BOX
6534UGSX	30A 125/250V 4-OUTLET 20A UG BOX
6532UGMX	30A 125/250V 8 OUTLET 20A UG GFCI MINI BOX
6522UGMX	20A 125/250V 8 OUTLET 20A UG GFCI MINI BOX
6066GUSF-254	200A 120/208V CAM SS W/FRAME 4-50A 125/250V (CS6369)



6534UGSX

6506UGSX



8706UGCX



6066GUSF-254

X-TREME BOX™ POWER DISTRIBUTION CORDS AND CONNECTORS

PART #	LENGTH	DESCRIPTION
6410MC	10'	10' 6/4 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19370008	25'	25' 6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19380008	50'	50' 6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
19390008	100'	100' 6/3 - 8/1 cULus SEOOW CORD W/50A 125/250V CONTRACTOR GRADE ENDS
LIV18240008	10'	10' 30A 125/125V (14-30P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18340008	10'	10' 50A 125/125V (14-50P) STRAIGHT PLUG TO 50A 125/250V (CS6369) CONNECTOR
18540008	10'	10' 30A 125/125V (14-30P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR
18640008	10'	10' 50A 125/125V (14-50P) STRAIGHT PLUG TO 30A 125/250V (L14-30) CONNECTOR

PLUGS

PART #	BRAND	DESCRIPTION
6365M	Marinco	50A 125/250V 1PH PLUG 3P4W California Twist
6364M	Marinco	50A 125/250V 1PH CONNECTOR 3P4W California Twist
59740000	Bryant	50A 125/250V 1PH PLUG 3P4W California Twist
59750000	Bryant	50A 125/250V 1PH CONNECTOR 3P4W California Twist



6364M

6365M

3-PHASE POWER CARTS

PART #	DESCRIPTION
6210DC	100 AMP 120/208V DIRECT WIRE INPUT 10-20A 125V 5-20R
6212DC	100 AMP 120/208V DIRECT WIRE INPUT 4- 50A 125/250V 2- 20A 125V
6220CC	200 AMP 120/208V CAM TYPE INPUT 6- 50A 125/250V 2- 20A 125V



6220CC

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
 felixms@telus.net
 604 - 351 - 9491

Cassandra MacDonald
 adminms@telus.net
 604 - 355 - 8381

Drew Wood
 adminms@telus.net
 604 - 668 - 3850

Bill Beaumont
 billmssales@gmail.com
 780 - 399 - 6104

Max Fookes
 marketingmssales@gmail.com
 778 - 239 - 2450

SUMNER

A Southwire Company

Call for Quantity
Discounts
604 - 668 - 3850



2015

2118



2311KIT

2615



GH2T

Lever Hoist



ST-881

PJ20

Chain Hoist

MATERIAL LIFTS

MODEL #	STOCK#	DESCRIPTION
2010	783700	2010 Material Lift (10'/1000 lbs.)
2015	783701	2015 Material Lift (15'/800 lbs.)
2012S	786383	2012S Short Stack Lift (12'/800lbs.)
2016S	786382	2016S Short Stack Lift (16'/800lbs.)
2112	783650	2112 Contractor Lift (12'/650 lbs.)
2118	783651	2118 Contractor Lift (18'/650 lbs.)
2210	787310	2210 Lil' Hoister (10'/300 lbs.)
2412	784750	2412 Contractor Lift (12'/400lbs.)
2416	784751	2416 Contractor Lift (16'/450lbs.)
2615	783067	2615 The Big Lift, 15' 1100 lbs
2311 KIT	710010	2311 LIFT, DRYWALL W/CART
2315 KIT	710011	2315 LIFT, DRYWALL W/CART

FORK EXTENSIONS AVAILABLE FOR ALL MODELS

MATERIAL LIFTS

MODEL #	STOCK#	DESCRIPTION
GH 3/4 T	785307	8 x 8 8' beam
GH 2 T	785103	8 x 8 8' beam
GH 5 T	785806	12 x 12 12' beam

CHAIN / LEVER HOISTS

WITH OVERLOAD
PROTECTION

MODEL #	STOCK#	DESCRIPTION
PCB100C20WO	787450	1T Chain Hoist 20' LFT&OLP
PCB150C20WO	787454	1-1/2T Chain Hoist 20' LFT&OLP
PCB200C20WO	787458	2T Chain Hoist 20' LFT&OLP
PCB300C20WO	787462	3T Chain Hoist 20' LFT&OLP
PLH080C15WO	787510	.8T Lever Hoist 15' LFT&OLP
PLH100C15WO	787514	1T Lever Hoist 15' LFT&OLP
PLH160C15WO	787518	1.6T Lever Hoist 15' LFT&OLP
PLH250C15WO	787522	2.5T Lever Hoist 15' LFT&OLP

PALLET JACKS

MODEL #	STOCK#	DESCRIPTION
PJ20	779766	20.5"x48" 6,600 LB capacity pallet
PJ27	779765	27"x48" 6,600 LB capacity pallet Jack

JACK STANDS

MODEL #	STOCK#	DESCRIPTION
ST-881	781300	Hi Fold-A-Jack w/Vee Head
MAXIFJVH	787900	Maxi Fat Jack w/ Vee Head
FABSAFV	780395	FAB SAF Jack
ST-601	780365	Hi Adjust-A-Roll w/Wheels
ST-401	780441	Pro Roll w/Roller Wheels
MJAXB	781460	Max Jax Basic



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



BOMAG

FAYAT GROUP

COMPACTION EQUIPMENT

TAMPERS - 4 STROKE HONDA ENGINE

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BT 50	11.0 in	116 lbs	3,222 lbs	3.8 HP Honda GXR120
BT 60	11.0 in	128 lbs	3,372 lbs	3 HP Honda GXR120
BT 65	11.0 in	150 lbs	3,822 lbs	4 HP Honda GXR120

****Wheel Kit and Extension Kit Available****

SOIL PLATE COMPACTORS - SINGLE DIRECTION

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BVP 10/30	11.8 in	104 lbs	2,250 lbs	3 HP Honda GX100
BVP 12/50A	19.7 in	159 lbs	2,700 lbs	4 HP Honda GX120
BVP 10/36	13.8 in	183 lbs	2,250 lbs	4 HP Honda GX120
BVP 18/45	17.7 in	201 lbs	4,050 lbs	5HP Honda GX160

****Wheel Kit / Water Kit / Vulkolan Mat Available****

BP 25/50	19.7 in	238 lbs	5,620 lbs	5 HP Honda GX160
----------	---------	---------	-----------	------------------

****Wheel Kit / Water Tank Available****

REVERSIBLE PLATE COMPACTORS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BPR 25/40	15.7 in	245 lbs	5,620 lbs	5 HP Honda GX 160
BPR 35/60	23.6 in	430 lbs	7,868 lbs	5 HP Honda GX 160

****Wheel Kit Available for 25/40 and 35/60 Models Only****

BPR 45/45	21.7 in	750 lbs	10,116 lbs	8 HP Honda GX
BPR 50/55 D/E	21.7 in	882 lbs	11,250 lbs	9 HP Hatz 1B40
★ BPR 60/65	25.6 in	926 lbs	13,500 lbs	13 HP Honda GX390
BPR 60/65 D/E	25.6 in	1,003 lbs	13,500 lbs	9 HP Hatz 1B40
BPR 70/70 D/E	27.6 in	1,276 lbs	15,736 lbs	12 HP Hatz 1D81

****Economizer (Soil Compaction Indicator) Available****

WALK BEHIND ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BW 55 E	22 in	355 lbs	2,250 lbs	3.4 HP Honda GX120
BW 65	28 in	1,587 lbs	5,620 lbs	11 HP Honda GX 390

TRENCH ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BMP 8500	33.5/24 in	3,622 lbs	8,000/ 16,000 lbs	19.4 HP KUBOTA D1005

RIDE - ON DOUBLE DRUM ROLLERS

MODEL	PLATE	WEIGHT	FORCE	ENGINE
BW 900-50	36"	2,539 lbs	3,395 lbs	20 HONDA GX 630
BW 90 AD-5	36"	3,527 lbs	3,822 lbs	20.2 HP KUBOTA D902

RIDE - ONE SINGLE DRUM ROLLERS

48" BW124 DH-5 56" BW145 D-5 66" BW177 D-5 84" BW211 D-5



BT 50



BVP 10/30



BVP 18/45



BPR 60/65

****NEW****
1000lb GAS MODEL
SAME CENTRIFUGAL FORCE FOR
THOUSANDS LESS!



BW 55E

BW 65



BMP 8500



BW 900-50



BW211 D-5



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



SUBMERSIBLE DEWATERING PUMPS

Part #	Description	GPM
LB-480	2"Discharge,2/3HP,110V,6.2 amps	63
LB-480A	2"Discharge,2/3HP,110V,6.2 amps (Automatic)	63
LB-800	High Head, 2"Discharge,1HP,110V,11.5 amps	80
LB-800A	High Head, 2"Dis.1HP,110V,11.5 amps (Automatic)	80
LB-1500	2-3"Discharge,2HP,110/220V,26.2/12.7 amps	69
NK2-15	3"Discharge,2HP,110/220V,22/11.5 amps	111
NK4-22	3"Discharge,3HP,220V,13 amps	130
NK3-22L	3"Discharge,3HP,220V,13 amps high volume	196

SEMI-VORTEX-SUBMERSIBLE, TRASH PUMP, WITH AGITATOR

Part #	Description	GPM
HS2.4S	2"Discharge, 1/2HP, 110V,5.4 amps	50
HSE2.4S	2"Discharge, 1/2HP, 110V,5.4 amps (Automatic)	50
HSZ2.4S	2"Discharge, 1/2HP, 110V,5.4 amps (Automatic)	50
HS2.75S	2"Discharge, 1HP, 115V,9.6 amps (Automatic)	60
HS3.75S	High Head, 3"Discharge, 1HP,115V,9.6 amps	74
HS3.75SL	High Head, 3"Discharge, 1HP,115V,9.6 amps	144
HSZ3.75S	3"Discharge, 1HP, 110V, 10 amps (Automatic)	74
HSD2.55S	2"Discharge, 3/4HP, 110V, 7.6 amps	58

LOW LEVEL-SUBMERSIBLE DEWATERING PUMPS

Part #	Description	GPM
LSC1.4S	3/4" Discharge, 2/3HP, 110V, 6.1amps, 0.05" CWL	45
LSR2.4S	2"Discharge,2/3HP,110V,6.1 amps, 0.2" CWL	62

ENGINE DRIVEN CENTRIFUGAL PUMPS (c/w H.D. Sic. Carbide Mech. Seal)

Part #	Description	GPM
TE2-25HA	1" Discharge, 2HP Honda	37
TE3-50HA	2"Discharge, 4HP Honda, 0.66 tank size	137
TE3-80HA	3"Discharge, 5.5HP Honda, 0.95 tank size	264
TE2-100HA	4"Discharge, 8HP Honda, 1.6 tank size	476

ENGINE DRIVEN TRASH PUMPS (c/w H.D. Sic. Carbide Mech. Seal)

Part #	Description	GPM
EPT3-50HA	2"Discharge, 5.5HP Honda, 0.95 tank size	190
EPT3-80HA	3"Discharge,8HP Honda ,1.6 tank size	360
EPT3-100HA	4"Discharge,11HP Honda 1.7 tank size	570





DIAPHRAGM PUMPS

Part #	Description	GPM
TD6-200	2"Discharge, 4HP Honda, 0.5 tank size	50
TD6-300	3"Discharge, 4HP Honda, 0.5 tank size	88
TDE6-200	2"Discharge, Electric 1.5HP, 110/120V	32
TDE6-300	3"Discharge, Electric 1.5HP, 110/120V	59

ENGINE DRIVEN HI-PRESSURE PUMPS

Part #	Description	GPM
THP4070HA	1.5" DISCHARGE, 5.5HP HONDA, GPH 90'	106



TSURUMI GENERATORS

HONDA
ENGINES

TSURUMI TPG4-SERIES GENERATORS are designed to withstand the severe conditions of construction jobsites or industrial applications, especially where extra durability and dependable, stable power are required. Ideal for supplying the power to single-phase electrics. 2 YEAR WARRANTY



TPG4-3000HCSA

TPG4-4500HCSA

TPG4-6000HCSA

TPG4-7000HCSA

MODEL	Rated Output	Engine	HP	Fuel Tank	Dry Weight
TPG4-3000HCSA	2800 W	Honda	5.5	4.2 Gal	102 lbs
TPG4-3400HCSA	3400W	Honda	5.8	4.2 Gal	116 lbs
TPG4-4500HCSA	4500 W	Honda	8	6.6 Gal	157 lbs
TPG4-6000HCSA	5500 W	Honda	11	6.6 Gal	176 lbs
TPG4-7000HCSA	6800 W	Honda	13	6.6 Gal	185 lbs
TPG4-7000HECSA	6800 W	Honda (E-Start)	13	6.5 Gal	190 lbs
TPG4-7500HCSA	7500 W	Honda	13	6.5 Gal	195 lbs
TPG4-7500HECSA	7500 W	Honda (E-Start)	13	6.6 Gal	211 lbs

K'ARCHER

PRESSURE WASHERS



HDS 3.5/40 GE MT

POWERED BY
HONDA

GAS HOT WATER TRAILER

Part No. 1.103-844.0

3.5 GPM at 4000 PSI, Direct Drive
Honda GX390



POWERED BY
HONDA

HD 3.0/27 G

GAS PRESSURE WASHER

PART No. 9.807-719.0

3.0 GPM at 2700 PSI, Direct Drive
Honda GX200

HOT WATER WASHERS

HDS 2.8/25 P CAGE

POWERED BY
HONDA

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-555.0

2.7 GPM at 2400 PSI, Direct Drive,
Honda GX200



POWERED BY
HONDA

HD 4.0/40 G

GAS PRESSURE WASHER

PART No. 9.807-721.0

4.0 GPM at 4000 PSI, Direct Drive
Honda GX390

HDS 3.5/30 P CAGE

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-553.0

3.5 GPM at 3000 PSI, Direct Drive,
Honda GX390



HD 3.0/27 G Teton

GAS PRESSURE WASHERS

PART No. 1.107-398.0

3.0 GPM at 2700 PSI, Direct Drive
Karcher Engine

HD 4.0/40 G Teton

GAS PRESSURE WASHERS

PART No. 1.107-399.0

4.0 GPM at 4000 PSI, Direct Drive
Karcher Engine

HDS 3.5/35 PE CAGE

GAS HOT WATER PRESSURE WASHER

Part No. 1.575-553.0

3.5 GPM at 3500 PSI, Direct Drive
Honda GX390



SURFACE CLEANER

SCW 2.4/25 G

POWERED BY
HONDA

GAS SURFACE CLEANER

PART No. 1.107-380.0

2.4 GPM at 2500 PSI, Direct Drive
Honda GX200

HD 4.0/40 Ge Teton

GAS PRESSURE WASHERS

PART No. 1.107-400.0

4.0 GPM at 4000 PSI, Direct Drive
Karcher Engine

HD 1.8/13 C Ed

ELECTRIC PRESSURE WASHER

PART No. 1.520-916.0

1.8 GPM at 1300 PSI, Direct Drive
14A, 120V Electric



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

K'ARCHER

FLOOR SCRUBBERS

SCRUBBERS

BD 80/100 W BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-456.0

32,025 (22,770) sq. ft/h

Pad Driver, AGM or Wet Batteries

32" Cleaning Path



BD 70/75 W BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-466.0

30,645 (19,920) sq. ft/h

Pad Driver, AGM or Wet Batteries

28" Cleaning Path

BD 50/50 C BP CLASSIC

WALK-BEHIND SCRUBBER

Part No. 9.841-369.0

21,530 (13,995) sq. ft/h

Pad Driver, AGM or Wet Batteries

20" Cleaning Path



CHARIOT 2 ISCRUB 20

RIDE ON SCRUBBER

Part No. 1.008-008.0

18,800 sq. ft/h

Pad Driver, AGM or Ah Batteries

20" Cleaning Path



VACCUUMS

NT 48/1

WET/DRY VACCUUM

PART No. 1.428-623.0

1380 W, 142 cfm,

12 Gal Capacity

Front Squeegee Available



NT 68/1

WET/DRY VACCUUM

PART No. 1.013-021.0

1200 W, 142 cfm

18 Gal Capacity

Front Squeegee Available



EXTRACTORS

BRC 30/15 C

CARPET EXTRACTOR

Part No. 1.008-058.0

26 PSI Pump, 0.38 GPM

4.5 Gal Solution / 4 Gal Recovery

10.5" Cleaning Path



SWEEPERS

KM 70/20 C

WALK BEHIND SWEEPER

Part No. 1.517-130.0

30,100 (42,200) sq. ft/h

Cleaning Path, Push Propelled

11 Gal Capacity



FLOOR MACHINES

BDS 43/175 C

FLOOR MACHINE

Part No. 1.009-102.0

1,923 sq. ft/h

17" Pad, 175 RPM, 1.5 HP



BURNISHERS

BDP 51/1500 C

BURNISHER

Part No. 1.009-101.0

9,091 sq. ft/h

20" Pad, 1500 RPM, 1.5 HP



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



IMER®

CONCRETE MIXERS



1126608

1105421



1105802



1105851



1193988



1194302



1194585



1130121

Portable 5CF Wheelbarrow Style Mixer

Part #	Model	Motor	Drum
1126608	Minuteman II	110V / 60 Hz 0.5 HP	Steel Drum
1126632	Minuteman II	110V / 60 Hz 0.5 HP	Poly Drum
1105421	Wheelman II	110V / 60 Hz 0.5 HP	Poly Drum
1105422	Wheelman II	110V / 60 Hz 0.5 HP	Steel Drum
1105490	Wheelman II	360° Swivel Stand	

Portable 12 CF Mixer

1105802	Multi-Mix 350	110V / 60 Hz 0.5 HP	Steel Drum
---------	---------------	---------------------	------------

Towable 9CF - 12CF Mixer

1105851	Workman II 250	9CF Mixer without Motor	Steel Drum
1105850	Workman II 250	5.5 HP Honda GSX	Steel Drum
1105856	Workman II 350	12CF Mixer without Motor	Steel Drum
1105855	Workman II 350	5.5 HP Honda GSX	Steel Drum

14 Gallon/50 lb Bag Capacity Mixer

1193988	Mix-All 60	0.75 HP 110V Electric Bucket Mixer	Poly Drum
1193968K	Mix-All 60	5 Pack of Buckets	

Portable 4CF Vertical Shaft Mixer

1194302	Mix 120 Plus	2 HP 110V Portable Specialty Mixer	+ iDUST Grate
1107618	Mix 120 Plus	Rubber Paddle Kit	

Towable 9CF Vertical Shaft Mixer

1194585	Mix 360	Mixer without Motor	
1194578	Mix 360	11 HP Honda Gas motor	

Towable Horizontal Shaft Mortar Mixer (Gas / Electric)

1130061 / 1130062	HSM 6	6 CF Steel Drum Mortar Mixer	
1130081 / 1130082	HSM 8	8 CF Steel Drum Mortar Mixer	
1130121 / 1130122	HSM 12	12 CF Steel Drum Mortar Mixer	

DUMPERS

Tipping Bucket & Self Loading Shovel

Part #	Model	Motor	Accessories Available
5105001	Carry 105 Gas	8 HP Honda GX	
5107002	Carry 107 Gas	11 HP Honda GX	



5107001



5105001 + Dump Platform



5107001 + Concrete Mixer



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

TILE



8" Blade / 24" Max Cutting Length w/Plunge

Part #	Model	Motor
1188084	Combicut 200 VA	110V/60Hz, 1.75HP, Single Phase
1188086	Combicut 200 VA	Combicut 200VA - Side Table

10" Blade / 31" Max Cutting Length w/Plunge

1188164	Combicut 250 VA	110V/60Hz, 1.75HP, Single Phase
1188166	Combicut 250 VA	Combicut 250VA - Side Table

10" Blade / 40" Max Cutting Length w/Plunge

1188174	Combicut 250/1000 VA	110V/60Hz, 1.75HP, Single Phase
1188177	Combicut 250/1000 VA	Combicut 250/1000 VA - Side Table

10" Blade / 60" Max Cutting Length w/Plunge

1188180	Combicut 250/1500 VA	110V/60Hz, 1.75HP, Single Phase
1188179	Combicut 250/1500 VA	Combicut 250/1500 VA - Side Table

14" Blade / 48" Max Cutting Length w/Plunge

1188931	Combicut 350 iPower	220V/60Hz, 4HP, Single Phase
1188932	Combicut 350 iPower	Combicut 350 iPower - Side Table

MASONRY

SmartCut 14" Blade / 30" Max Cutting Length w/Plunge

1188975	Masonry 350 Smart Cut	115V/60Hz, 2HP, Single Phase
---------	-----------------------	------------------------------

#750 Plus - 30" Blade

1188863	Masonry 750 Plus	220V/60Hz, 5.5HP, Single Phase
---------	------------------	--------------------------------

SCISSOR LIFTS

IM SERIES

PART#	MOTOR	AREA	HEIGHT
IM3224	ELECTRIC	INDOOR	30'
IM3534 / IM3540	ELECTRIC	INDOOR	39' / 46'
IM4740 / IM4746	ELECTRIC	INDOOR	46' / 52'
IM7043 RT	ELECTRIC	IN / OUT	49'
IMR15 DA	ELECTRIC	IN / OUT	49'

FROST Fighter

**OPTIONAL FEATURE:
HEAT RECOVERY SYSTEM**
HELPS PREVENT FUEL FILTER FROM
FREEZING DURING OPERATION

- Fully Insulated Jacket and Front Cap, Lifting Bale Included.
 - Complete Stainless Steel Heat Exchanger.
- Oil Fired: (over) 80% more Efficient!
Propane/LNG, 3 Trials for Ignition and Easy Ball Valve Change Over from Propane to Natural Gas.



OPTIONAL HEAT RECOVERY SYSTEM FOR OIL FIRED HEATERS
IDF350-11, IDF500, IDH400QR & IDH500QR
brings heated air back to the fuel filter and control area.

OPTIONAL XLT 60 US GALLON DW FUEL TANK
For IDF350-11, IDF500, IDH400QR & IDH500QR
Comes with forklift pockets and 6-ply Foam filled Tires

IDF HEATERS LP/NG and Diesel Models Available

MODEL	Heating	Voltage	Weight	CFM	Max. Duct
IDF350-II	350,000 BTU	120V / 15A	580 lbs	2500 CFM	Up to 50'
IDF500	500,000 BTU	120V / 15A	580 lbs	3100 CFM	Up to 50'

IDH-QR HEATERS Indirect Fired Recirculating Static Style Heater

MODEL	Heating	Voltage	Weight	CFM	Max. Duct
IDH200QR	170,000 BTU	120V / 15A	320 lbs	1610 CFM	Up to 100'
IDH400QR	400,000 BTU	120V / 15A	580 lbs	2800 CFM	Up to 100'
IDH500QR	500,000 BTU	120V / 15A	580 lbs	4800 CFM	Up to 100'



- 4"/5" of Static Pressure
- 2 x 16"/20" Outlets & Inlets
- Low Fire / High Fire 2-stage Firing
- Forklift Pockets
- Easy Ball Valve to Switchover from Propane/LNG
- Beckett Burner w/ Optional EZ Burner Change



IHS HEATERS Indirect Fired, High Static, Base-Mounted Systems

MODEL	Heating	Voltage	Weight	CFM	Max. Duct	Oil / Diesel	Propane / LNG
IHS700P	700,000 BTU	120V / 15A	320 lbs	4600 CFM	Up to 100'		
IHS700H	700,000 BTU	120V / 15A	580 lbs	4600 CFM	Up to 100'		
IHS1500	1,500,000 BTU	120V / 15A	580 lbs	11000 CFM	Up to 100'		

12" Ducting

48301	12"x12' Orange Canvas w/Pin
48305	12"x12' High Temp Black w/Belt
47102A	12"x25' High Temp Black w/Belt

16" Ducting

47102B	16"x16' High Temp Black w/Belt
47104A	16"x25' High Temp Black w/Belt
49100	20"x25' High Temp Black w/Belt



Poly Ducting

48105	12"x25ft Yellow Poly RETURN w/Belt
47104	16"x25ft Yellow Poly RETURN w/Belt
49101	20"x25ft Yellow Poly RETURN w/Belt

Accessories

47300	Remote Thermostat w 2'Cord
47301	Remote Thermostat w 25'Cord
50731	Lifting Bail (IDF350/500 Series)
60165	Genysis Diagnostic Reader

Prices subject to change without notice, call for quotes. Prices in **CDN**



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



CARRYALL

**ALL THE ACCESSORIES
YOUR RENTERS NEED**

Specialized add-ons put frequently used tools front and center.



CARRYALL 300



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	800 lb (363 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
13 hp (9.6 kW) peak 48-volt AC electric		5-17 mph (8-27 kph)	

Perfect for light duty tasks, the Carryall 300 features a rustproof aluminum frame and bed and the tightest turning radius in its class.

CARRYALL 700



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	1500 lb (680 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

A nearly 6 foot (67.6 in/1.717 m) long bed makes transporting cargo easy and efficient, yet independent suspension and rack-and-pinion steering deliver a smooth ride.

CARRYALL 1700



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ⁽¹⁾	1600 lb (726 kg)	25 mph (40 kph)	4
Kubota® 20.0 hp (15.0 kW) diesel ⁽¹⁾			

With Club Car's exclusive IntelliTrak™ automatic four-wheel drive system and four forward-facing seats, this vehicle carries four passengers and their gear over the roughest terrain. Comes standard with ROPS and Seatbelts.

CARRYALL 500



POWER	CAPACITY	SPEED	SEATS
14 hp (10.3 kW) Kohler EFI gas ⁽¹⁾	1200 lb (544 kg)	15-17 mph (24-27 kph)	2
20 hp (14.9 kW) peak 48-volt electric		5-17 mph (8-27 kph)	
16 hp (11.7 kW) peak 48-volt AC electric		17 mph (27 kph)	

This best seller delivers the right combination of speed and power for just about any job. Standard four-wheel brakes for increased stopping power when towing and hauling heavier loads.

CARRYALL 1500



POWER	CAPACITY	SPEED	SEATS
Kawasaki® 20.1 hp (15.0 kW) gas ⁽¹⁾	1200 lb (544 kg)	25 mph (40 kph)	2
Kubota® 20.0 hp (15.0 kW) diesel ⁽¹⁾			

Features our footproof IntelliTrak™ fully automatic four-wheel drive system as well as our semi-independent four-link rear suspension system for a smooth ride, even when fully loaded. Comes standard with ROPS and Seatbelts.

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Front Bucket



Plow Blade



Pallet Forks

CALL FOR MORE INFORMATION



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

HIGH SPEED PROFESSIONAL GRINDERS



TG8

G00057

- » 2800rpm,
- » 120v/18.4A,
- » lightweight (130Lbs),
- » portable,
- » 50FT Heavy Duty cord,
- » TEQ-Lok tooling (x4 RH rotation).



TG12

G00051

Propane Grinders Also Available!



TG18

G00118

SHIBUYA

CORE BIT DRILLS



HH1531

SHIBUYA Hand Drill

Features:

- Built-in on/off switch with motor overload protection
- Slip clutch is adjustable without disassembly
- 360° position water swivel inlet
- Roller carriage for smooth and precise drilling and longer life
- Right and left hand feed handle positions



HH2021

SHIBUYA TS-255 ABV

Eagle
by DITEQ

SWING MACHINES



G00143

HEAVY DUTY Swing Machine



G00103

Swing Machine



G-TEQ 550H

Early Entry Saw
F50010

**LibertyBell
Early Green
Sawing**



ARIX



**Free Plate
with 3-Blade
Purchase**



**50# Breaker w/ VIBRO-
Reduced T-Handle**
(1-1/8 Chuck) Part No. H20005
+ Moll Point Chisel Part No.
151890.



Hydraulic Flow
Divider (140746)

SAWS



Hydraulic 16\"/>

H00018

**CARDI TP400
16\"/>**

H00011



Includes Free 16\"/>



VACCUMS



**4 - 20 GAL WET VACCUM
(SQUEEGEE OPTION
AVAILABLE)**

160825



**HEPA 160CFM
Dual Motor**

162242



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

DIAMOND TOOLS & EQUIPMENT

PRICES IN CDN NET



USE ON:

- ☒ CURED CONCRETE
- ☒ GREEN CONCRETE
- ☒ ASPHALT
- ☒ BLOCK
- ☒ BRICK

MULTI USE BLADES

12" x .125" x 1"-20mm DP	D11030
12" x .125" x 20mm DP	D11050
14" x .125" x 1"-20mm DP	D11031
14" x .125" x 20mm DP	D11051
16" x .125" x 1"-20mm DP	D11032
16" x .125" x 20mm DP	D11052
18" x .125" x 1"-20mm DP	D11033
20" x .145" x 1"-20mm DP	D11034
24" x .145" x 1" DP*	D11080



C-51 Segmented/Double Pointed Core Bits

2"	D36101	4"	D36108
2 1/2"	D36103	4 1/2"	D36110
3"	D36105	5"	D36112
3 1/2"	D36107	5 1/2"	D36113
		6"	D36115



Hammer Drill Adapters for Diamond Core Bits



Adapter shanks are short enough to prevent the hammer action from engaging allowing the tool to be used as a rotary drill. For use with 5/8" threaded C34 ARIX™ core bits.

Description	Part No.
SDS Max to 5/8-11" M Rotary	151623
SDS Plus to 5/8-11" Rotary	151670



4"x.080"x7/8"-5/8"	D96403	8"x.080"xDM-7/8"-5/8"	D96408
4.5"x.080"x7/8"-5/8"	D96404	9"x.095"x7/8"-5/8"	D96409
5"x.080"x7/8"-5/8"	D96405	10"x.110"x7/8"-5/8"	D96410
6x.080"x7/8"-5/8"	D96406	12"x.125"x1"-20mm DP	D96401
7"x.080"xDM-7/8"-5/8"	D96407	14"x.125"x1"-20mm DP	D96402

Turbo Fast Segmented Life Use on:

Brick, Pavers, Concrete, Block

Compact Scrubber Package Deal:

- TG-516 Compact Scrubber with Pad Driver
- Poly Scrub Brush
- 5 ea. Black and White Maintenance Pads
- 3 ea. Daily Cleaner Gallon Bottles
- 1 ea. HD Concentrated Cleaner/Degreaser Gallon Bottle



Concrete Destroyer

Cleans and removes dry, hardened concrete off practically anything without the hazard of acids!

No Toxic Fumes!

Description	Part No.
32-oz. spray bottle*	100316
1 gallon bottle**	100317
5 gallon bucket	100318



32-oz bottle*



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

PORTABLE AIR COMPRESSORS

ELGi

GP35 F P

**Perfect for
Fibre Optics!**



Operates at **218psi / 35cfm**

Powered by a Vanguard 3864 23 HP gas engine with electric start

A skid option is available for installation on a utility truck or trailer.

Integrated aftercooler and moisture separator to reduce service air temp



GP75

Operates at **100psi / 75cfm**

Powered by a Honda GX690 22.5hp gasoline engine

Optional high-pressure system (160-190psi) and skid mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D90KA

Operates at **100psi / 90cfm**

Powered by a Kubota D1105-E3B Tier 4 Final diesel engine

Optional cold weather kit, skid mount, and high pressure system (160-190 psi)

The Intelligent Start/Stop System prevents cold-starting and blowback

D185T4F

Operates at **100psi / 185cfm**

Powered by Kohler's quiet and efficient KDI1903 engine

Optional cold weather kit (block heater and HD battery), utility mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D300T4F

Operates at **100psi / 290cfm** (& 150 psi / 230 cfm with optional switch)

Powered by a 74 HP Kohler KDI2504-TCR Tier 4 Final Diesel Engine

Optional aftercooler, cold weather kit, dual pressure switch, hose reel, and skid mount

The Intelligent Start/Stop System prevents cold-starting and blowback



D400T4F

Operates at **100 or 150psi / 375cfm**

Powered by a Cummins' quiet and efficient QSF 3.8130 engine

Optional aftercooler (internal), cold weather kit, skid support

The Intelligent Start/Stop System prevents cold-starting and blowback



D425T4F

Operates at **100psi / 425cfm**

Powered by Cummins QSF 3.8130 Tier 4 Final Diesel Engine

Optional aftercooler (internal), cold weather kit, skid support

The Intelligent Start/Stop System prevents cold-starting and blowback



D800T4F

Operates at **150psi / 800cfm**

Powered by a FPT NEF 67 Tier 4 Final turbocharged diesel engine.

Optional aftercooler (internal), cold weather kit

The Intelligent Start/Stop System prevents cold-starting and blowback



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

KATCO

CHIPPING HAMMERS

**WHIP HOSES INCLUDED!
HEX OR ROUND CHUCK**

**KTC-D3S
KTC-D4S**



**D-HANDLE TOP
TRIGGER SCREW-ON**

KTC-L



**LIGHT WEIGHT
STD. RETAINER**

**KTC-T3S
KTC-T4S**



**TOP TRIGGER
SCREW-ON**

**KTC-P3
KTC-P4**



**PISTOL HANDLE
STD. RETAINER**

**KTC-3S
KTC-4S**



**D-HANDLE INSIDE
TRIGGER SCREW-ON**

**KTC-T2
KTC-T3
KTC-T4**



**TOP TRIGGER
STD. RETAINER**

**KTC-P3S
KTC-P4S**



**OPEN HANDLE
SCREW-ON**

**KTC-2
KTC-3
KTC-4**



**INSIDE TRIGGER
STD. RETAINER**

RIVET BUSTERS

**INDUSTRY STANDARD
JUMBO SHANK WITH NOISE
REDUCING MUFFLERS**

KT-RB5



20LB CLASS

KT-RB6



26LB CLASS

KT-RB8



30LB CLASS

KT-RB11



40LB CLASS

ROCK DRILLS

KT-RD9



9LB CLASS

KT-RD30



30LB CLASS

KT-RD50



50LB CLASS

KT-RD60



60LB CLASS

KT-RD75



65LB CLASS

PAVING BREAKERS

KT-PB30



30LB CLASS

KT-PB40



40LB CLASS

KT-PB60



60LB CLASS

KT-PB90



90LB CLASS

MORE TOOLS AVAILABLE, CALL FOR INFORMATION AND PRICING



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

VAF3000A



"On-demand performance. Ideal for use in confined spaces that require a powerhouse air ventilator, the VAF3000A can handle your most demanding industrial needs"

Blade Size	12"
Drive	Direct
Max Duct Length	125'
Housing Material	Polyethylene Case
Frequency (hz)	60/50
CFM	2796
Power (hp)	1

VKM 24-2-0



Blade Size	24"
Drive / Speed	Direct / 2
Weight	48 lbs
Hertz / Amps	60 / 5.2
CFM	5,640
Power (hp)	1/2

VKM 36-2-B-0



Blade Size	36"
Drive / Speed	Direct / 2
Weight	85 lbs
Hertz / Amps	60 / 7
CFM	11,020
Power (hp)	1/2

DUCTING



12" X 25'

VKM 42-2-B-0



Blade Size	42"
Drive / Speed	Direct / 2
Weight	140 lbs
Hertz / Amps	60 / 12.3
CFM	15,000
Power (hp)	1

MASTER

**Carpet
Blower**

CFM	1400
DRIVE	Direct
HERTZ	60



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
 felixms@telus.net
 604 - 351 - 9491

Cassandra MacDonald
 adminms@telus.net
 604 - 355 - 8381

Drew Wood
 adminms@telus.net
 604 - 668 - 3850

Bill Beaumont
 billmssales@gmail.com
 780 - 399 - 6104

Max Fookes
 marketingmssales@gmail.com
 778 - 239 - 2450



DEHUMIDIFIERS

DRIZAIR 1200

Removes up to **68 LITRES/DAY**

Durable rotomolded housing

Compact size for easy handling

Intuitive touchpad control

DIMENSIONS (H X W X D) **32 x 20 x 19.5 in.**

WEIGHT **80 lbs / 36 kg**

AIR PROCESS AT SATURATION **227 CFM / 368 CMH**

POWER **6.4 A**



104677 / F203-A

LGR 6000Li

Removes up to **96 LITRES/DAY**

No-leak pump basin

Compact size for easy handling

Time saving i-series control

DIMENSIONS (H X W X D) **32.1 x 19.8 x 20 in.**

WEIGHT **95 lbs / 43 kg**

AIR PROCESS AT SATURATION **330 CFM / 561 CMH**

POWER **6.6 A**



103614 / F600

REVOLUTION LGR

Removes up to **76 LITRES/DAY**

Stackable

Removes water as humidity drops

Digital display of temp and RH+

DIMENSIONS (H X W X D) **12.5 x 17.6 x 21.5 in.**

WEIGHT **65 lbs / 29.5 kg**

AIR PROCESS AT SATURATION **180 CFM / 5.1 CMH**

POWER **6 A**



111995 / F413

LGR 7000XLi

Removes up to **111 LITRES/DAY**

Built-in humidistat

Digital control panel

Compact and easy to move!

DIMENSIONS (H X W X D) **33.5 x 20 x 20 in.**

WEIGHT **107 lbs / 49 kg**

AIR PROCESS AT SATURATION **325 CFM / 552 CMH**

POWER **8.3 A**



108110 / F412

LGR 2800i

Removes up to **113.5 LITRES/DAY**

Optimized even in high temp

Humidistat control with touch pad

Sensors with inlet and outlet

DIMENSIONS (H X W X D) **40.5 x 23 x 24 in.**

WEIGHT **160 lbs / 72.5 kg**

AIR PROCESS AT SATURATION **400 CFM / 697 CMH**

POWER **8 A**



110128 / F410

LGR 3500i

Removes up to **125 LITRES/DAY**

Displays temperature and RH

Humidistat control with touch pad

Sensors with inlet and outlet

DIMENSIONS (H X W X D) **40.5 x 23 x 24 in.**

WEIGHT **160 lbs / 72.5 kg**

AIR PROCESS AT SATURATION **400 CFM / 697 CMH**

POWER **10.5 A**



110133 / F411



AIR MOVERS / SCRUBBERS

AP 700 (UVC Protection)

WEIGHT **44 LBS / 19.9 KG**

POWER **3 A / 115V**

CFM **275-700**



125494

HEPA 700

WEIGHT **44 LBS / 19.9 KG**

POWER **3 A / 115V**

CFM **275-700**



125105

HEPA 2000

WEIGHT **124 LBS / 56.25 KG**

POWER **7.7 A / 115V**

CFM **500-2000**



123668

SAHARA PRO X4

WEIGHT **24.3 LBS / 11 KG**

POWER **2.5A / 115V**

CFM **867 / 1473 CMH**



124315

STEALTH AV3000

WEIGHT **27.5 LBS / 12 KG**

POWER **2.7A, VARIABLE**

CFM **2600**



113164

VELO

WEIGHT **21 LBS / 9.52 KG**

POWER **1.9A, 1-SPEED**

CFM **1165**



125470

FILTERS

HEPA 500			HEPA 700			DEHUMIDIFIERS		
111192 (F321)	Primary Filter		125028	Primary Filter		100250 (F581)	1200 / 7000XLi	
115471 (F270)	10% Pre Filter		125026	2" Pre Paper Filter		121708 (F584)	2800i / 3500i	
113364 (F271)	30% Pre Filter		125029	1" Pre Paper Filter		102312 (F583)	Revolution LGR	
100053 (F397)	Carbon Filter		125027	1" Carbon Filter		100254 (F579)	LGR6000Li	



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

1 SELECT HEAD

STEEL HEADS

PART #	DESCRIPTION
HP075oz	3/4"
HP100oz	1"
HP125oz	1-1/4"
HP150oz	1-1/2"
HP175oz	1-3/4"
HP200oz	2"
HP250oz	2-1/2"

SHORT HEADS

HSP075oz	3/4" x 6"
HS125oz	1-1/4" x 6"
HS175oz	1-3/4" x 6"

2 SELECT SHAFT

FLEXSHAFTS

PART #	DESCRIPTION
FS07oz	7 ft
FS10oz	10 ft
FS12oz	12 ft
FS14oz	14 ft
FS16oz	16 ft
FS18oz	18 ft
FS21oz	21 ft

PENCILSHAFTS

FSP03oz	3 ft
FSP06oz	6 ft
FSP09oz	9 ft
FSP11oz	11 ft
FSP15oz	15 ft
FSP20oz	20 ft

3 SELECT POWER UNIT

ELECTRIC MOTORS

PART #	AMPS	MAX HEAD SIZE STEEL/RUBBER
1.2oz	9	1-1/2" / NONE
1.8oz	15	1-3/4" / NONE
2.4oz	17	2" / 2-3/4" SHORT
3.2oz	19	2-1/2" / 2-3/4"

GAS BACKPACKS

BP35	Honda 35cc Backpack unit only
BP50a	Honda 50cc Backpack unit only

CCEILING GRINDER

CG12E	Ceiling Grinder
FSCG07HD	Shaft Assembly



SUBMERSIBLE UTILITY PUMPS



Model

Description

C-2310

Heavy-duty aluminum construction,
Pumps 1260 gph
25' power cord and garden hose adapter
Pumps down to 1/8"

FP18-15BD

Float Switch, 110V for up tp 1 HP electric pumps
10 ft cord

CONCRETE MIXER



XH - PCM5 - H2




- Electric 1/2 HP, 5 cu/ft
- Wheel Barrow or pedestal style mixer



LADDER AND SCAFFOLD CO.



Part #	Description
SMF6060P	60" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SLF6030P	60" x 30" FRAME WITH COUPLING PINS & SPRING-LOCKS
SMF3660P	36" x 60" FRAME WITH COUPLING PINS & SPRING-LOCKS
SBR1004	4' x 10' GALVANIZED CROSS BRACE
SBR1002	2' x 10' GALVANIZED CROSS BRACE
SBR0704	4' x 7' GALVANIZED CROSS BRACE
SBR0702	2' x 7' GALVANIZED CROSS BRACE
S600-HD	BAKER SCAFFOLD (1000 LBS LOAD)
SCS	8" CASTER
SSJ24	24" SOCKET SCREW JACK W/ BASEPLATE
SSJ00	24" SOCKET SCREW JACK
SCP1	GALVANIZED COUPLING PIN WITH SPRING-LOCK
SPT	GALVANIZED PIG TAIL LOCK
SGR0300	30" GALVANIZED GUARDRAIL
SGR0500	60" GALVANIZED GUARDRAIL
SGR0700	84" GALVANIZED GUARDRAIL
SGR1000	120" GALVANIZED GUARDRAIL
SGRPP-X	GUARDRAIL POST
SSB20P	20" SIDE BRACKET
SAD0719	7' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK
SAD1019	10' x 19" ALUMINUM PLATFORM WITH 1/2" PLYWOOD DECK



**TEMPORARY FENCING AVAILABLE
INCLUDES COUPLER AND BASE PLATE***



MSSALES LTD. CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450



HIGH-SPEED CUT-OFF WHEELS

For metal and steel cutting application, including rebar, steel pipe, structural steel, sheet metal, cable and small to medium diameter solid pieces.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601486	12 x 1/8 x 1/20mm	Asphalt	6300	10
66252837839	12 x 1/8 x 1/20mm	Concrete	6300	10
66252837840	12 x 1/8 x 1/20mm	Ductile	6300	10
70184601489	12 x 1/8 x 1/20mm	Metal	6300	10
70184601490	14 x 1/8 x 1/20mm	Asphalt	5400	10
70184601491	14 x 1/8 x 1/20mm	Concrete	5400	10
70184601492	14 x 1/8 x 1/20mm	Ductile	5400	10
70184601493	14 x 1/8 x 1/20mm	Metal	5400	10
70184601494	16 x 1/8 x 1/20mm	Concrete	4700	10
70184601495	16 x 1/8 x 1/20mm	Metal	4700	10

CHOP SAW WHEELS

Industrial performance to be used in cutting conduit, tail pipes, structural and other solid shapes.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601476	12 x 3/32 x 1	Metal	5095	10
70184601477	14 x 3/32 x 1	Metal	4365	10

CIRCULAR SAW WHEELS

Standard grade with good performance and life when cutting metal. Standard silicon carbide with good performance when cutting brick, block, concrete and other masonry materials.

NORTON CLIPPER CLASSIC

UPC	Size	Application	RPM	PKG
70184601484	7 x 3/32 x 5/8	Metal	8,730	25
70184601485	7 x 3/32 x 5/8	Concrete	8,730	25
7660789096	8 x 1/8 x DM-5/8	Metal	7,640	10
7660789086	8 x 1/8 x DM-5/8	Masonry	7,640	10

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for steel and metal.

NORTON CLIPPER CLASSIC - TYPE 1 (FLAT)

UPC	Size	Application	RPM	PKG
70184601455	4-1/2 .040x7/8	Metal	13,580	25
70184601456	5 x .040 x 7/8	Metal	12,225	25

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for steel and metal.

NORTON CLIPPER CLASSIC - TYPE 27 (DEPRESSED CENTER)

UPC	Size	Application	RPM	PKG
70184601465	4-1/2x.045x7/8	Metal	13,580	25
70184601466	5 x .045 x 7/8	Metal	12,225	25

RIGHT ANGLE / ZIP CUT TYPE 1 CUT OFF WHEELS

Industrial grade performance for metals and steels. Exceptional life and cut rate on carbon and stainless steel. Good performance.

NORTON CLIPPER CLASSIC - TYPE 27 (DEPRESSED CENTER)

UPC	Size	Application	RPM	PKG
70184601524	4 x 1/8 x 5/8	Metal	18,000	25
70184601501	4 x 1/4 x 7/8	Metal	18,000	25
70184601526	4-1/2 x 1/8 x 7/8	Metal	13,580	25
70184601505	4-1/2 x 1/4x 7/8	Metal	13,580	25
70184601528	5 x 1/8 x 7/8	Metal	12,225	25
70184601507	5 x 1/4 x 7/8	Metal	12,225	25
70184601532	7 x 1/8 x 7/8	Metal	8,600	25
70184601511	7 x 1/4 x 7/8	Metal	8,600	25
70184601504	4-1/2 x 1/4 x 7/8	Concrete	13,580	25
66252843602	5 x 1/4 x 7/8	Concrete	13,580	25

FOB BURNABY!



DIAMOND BLADES

SEGMENTED CONCRETE

BIGGEST segm height - 500" tall segm height!
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12C	
14" x .125 x 1" - 20mm	S14C	

PREMIUM SEGMENTED CONCRETE

Super premium quality .375" tall segment height
Cuts cured concrete, masonry, brick, stone, and block - wet or dry

12" x .125 x 1" - 20mm	S12PRC	
14" x .125 x 1" - 20mm	S14PRC	
16" x .125 x 1" - 20mm	S16PRC	
18" x .125 x 1" - 20mm	S18PRC	
20" x .125 x 1" - 20mm	S20PRC	
24" x .155 x 1" - 20mm	S24PRC	

ASPHALT/GREEN CONCRETE

Premium quality .375" tall segment height
Cuts green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1" - 20mm	A12PR	
14" x .125 x 1" - 20mm	A14PR	
16" x .125 x 1" - 20mm	A16PR	
18" x .125 x 1" - 20mm	A18PR	
20" x .125 x 1" - 20mm	A20PR	
24" x .155 x 1" - 20mm	A24PR	

DUAL CUTTING BLADE

Super premium quality .400" tall segment height
Cuts concrete, masonry, brick, stone, green concrete and asphalt, with recessed undercut segment - wet or dry

12" x .125 x 1"-20 mm	DAC12PR	
14" x .125 x 1"-20 mm	DAC14PR	
16" x .125 x 1"-20 mm	DAC16PR	

GRINDING SHROUD



MSS455	4.5"/5"	
MSS7	7"	
MK172366	5"	

OTHER DIAMOND PRODUCTS

CORE BITS

Super premium concrete core bits .400" segment height

DCB34	3/4"	
DCB78	7/8"	
DCB1	1"	
DCB112	1-1/2"	
DCB2	2"	
DCB212	2-1/2"	
DCB3	3"	
DCB312	3-1/2"	
DCB4	4"	
DCB412	4-1/2"	
DCB5	5"	
DCB6	6"	
DCB8	8"	
DCB10	10"	
DCB12	12"	

TILE SAW BLADE WET/DRY

CR10	10"	
CR8	8"	
CR7	7"	

10" FLOOR GRINDER HEADS - 10/20 SEGMENT

DG1010C	CONCRETE	
DG1020C	CONCRETE	
DG1020G	GREEN	

SPECIALTY CONCRETE CUP WHEELS

FC55811-E	5" x 5/8" - 11 flat faced	
HCL619-E	6" x 19mm - 5/8" L	
HCSQ619-E	6" x 19mm - 5/8 Square	
TCL619-E	6" x 19mm - 5/8 Triangle	



GRINDING CUP WHEELS - DRY

	Single Row	Double Row
4" x 7/8" - 5/8" thread		DC2478
4" x 5/8" - 11" thread		DC245811
4.5" x 7/8" - 5/8" thread		DC24578
4.5" x 5/8" - 11" thread		DC2455811
5" x 7/8" - 5/8" thread		DC2578
5" x 5/8" - 11" thread		DC255811
7" x 7/8" - 5/8" thread		DC2778
7" x 5/8" - 11" thread		DC275811

Premium quality .250" tall segment height



FASTENING PRODUCTS

QUALITY | INNOVATION | SERVICE

- Excellent speed, performance and endurance
- Designed for drilling in concrete, stone, block, masonry & brickwork
- The dynamic, chisel-shaped drill point rapidly penetrates the material and channels the drilling dust into the patented reinforced multi-flute spiral and out of the hole. This saves both time and money



SDS PLUS

Part #	Description	Usable
SDS 3166	3/16 X 6"	4"
SDS 144	1/4 X 4"	2"
SDS 146	1/4 X 6"	4"
SDS 148	1/4 X 8"	6"
SDS 386	3/8 X 6"	4"
SDS 3812	3/8 X 12"	10"
SDS 126	1/2 X 6"	4*
SDS 128	1/2 X 8"	6"
SDS 1218	1/2 X 18"	16"
SDS 586	5/8 X 6"	4"
SDS 5812	5/8 X 12"	10"
SDS 5818	5/8 X 18"	16"
SDS 348	3/4 X 8"	6"
SDS 3412	3/4 X 12"	10"
SDS 3418	3/4 X 18"	16"
SDS 112	1 X 12"	10"



- High-grade tungsten carbide tips specially designed for optimal toughness and durability
- Multi-tip for faster drilling
- Optimized reinforced flute design ensures quick and efficient removal of drilling dust
- Drill bit body produced from high quality tool steel for extended bit life
- Self-centering tip



SDS MAX

Part #	Description	Usable
MAX 1213	1/2 X 13"	8"
MAX 1221	1/2 X 21"	16"
MAX 5813	5/8 X 13"	8"
MAX 5821	5/8 X 21"	16"
MAX 5836	5/8 X 36"	31"
MAX 3413	3/4 X 13"	8"
MAX 3421	3/4 X 21"	16"
MAX 3436	3/4 X 36"	31"
MAX 7813	7/8 X 13"	8"
MAX 7821	7/8 X 21"	16"
MAX 7836	7/8 X 36"	31"
MAX 113	1 X 13"	8"
MAX 121	1 X 21"	16"
MAX 136	1 X 36"	31"
MAX 11817	1-1/8 X 17"	12"
MAX 11821	1-1/8 X 21"	16"
MAX 11415	1-1/4 X 15"	10"
MAX 11423	1-1/4 X 23"	18"
MAX 11436	1-1/4 X 36"	31"
MAX 13823	1-3/8 X 23"	18"
MAX 11223	1-1/2 X 23"	18"
MAX 13423	1-3/4 X 23"	18"
MAX 223	2 X 23"	18"

Prices in CDN



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450

SDS MAX



Description	Part #
12" Moil Point	MP12
16" Moil Point	MP16
12" Narrow Chisel	MC12
16" Narrow Chisel	MC16
10" SDS Plus Point	PP10
10" SDS Plus Chisel	PC10
12" Chisel - 3" Wide	MC12-30
16" Chisel - 3" Wide	MC16-30
12" Bent Chisel - 3" Wide	MCB12-30
12" Chisel - 4.5" Wide	MC12-45
Asphalt Cutter	AC-MAX
Clay Spade	CS-MAX
Complete Floor Scraper	FSA-MAX-100
Steel Bush Tool	BH1-MAX
Carbide Bush Tool	BHC-MAX
3/4" Ground Rod Driver Max	GD34-MAX

HILTI 805/905/TE1000



14" Moil Point	NP14
19" Moil Point	NP19
14" Narrow Chisel	NC14
19" Narrow Chisel	NC19
14" Chisel - 2" Wide	NC14-20
19" Chisel - 2" Wide	NC19-20
14" Chisel - 3" Wide	NC14-30
19" Chisel - 3" Wide	NC19-30
14" Chisel - 4.5" Wide	NC14-45
19" Chisel - 4.5" Wide	NC19-45
Asphalt Cutter	AC-905
Clay Spade	CS-905
HD Floor Scraper	FSHD-905-100S
Steel Bush Tool	BH1-905
Carbide Bush Tool	BHC-905

To fit Hilti TE1000-AVR, TE1500-AVR, TE500, TE706, TE706-AVR, TE805, TE905, TE905-AVR

CHIPPING STEEL



Description	.680" Rnd Shank		.580" Rnd Shank	
	Oval Collar		Round Collar	
12" Moil Point	P6812OC	P5812OC	P6812RC	P5812RC
12" Narrow Chisel	C6812OC	C5812OC	C6812RC	C5812RC
12" Chisel - 2" Wide	C6812OC-20	C5812OC-20	C6812RC-20	C5812RC-20
12" Chisel - 3" Wide	C6812OC-30	C5812OC-30	C6812RC-30	C5812RC-30
Steel Bush Tool	BH1-680OC	BH1-580OC	BH1-680RC	BH1-580RC

PAVING BREAKER



	7/8" x 3-1/4" Shank	1" x 4-1/4" Shank	1-1/8" x 6" Shank
14" Moil Point	P10114	P10214	P10314
18" Moil Point	P10118	P10218	P10318
14" Narrow Chisel	C10114	C10214	C10314
18" Narrow Chisel	C10118	C10218	C10318
14" Chisel - 3" Wide	CC11114	CC11214	CC11314
18" Chisel - 3" Wide	CC11118	CC11218	CC11318
Asphalt Cutter	AC-101	AC-102	AC-103-10
Clay Spade	CS-101	CS-102	CS-103-10
Steel Bush Tool	BH101	BH102	BH103

JUMBO RIVET BUSTER STEEL



Description	Part #
12" Moil	JRBP12-86
18" Moil	JRBP18-86



Description	Part #
12" Narrow	JRBC12-86
18" Narrow	JRBC18-86

RIVET BUSTER PARTS



Description	Part #
HD Floor Scraper Replacement Blade	FSHDB2MM
Floor Scraper Replacement Blade	FSAB-2MM



In-Line Oilers

Large	ILO-L
Medium	ILO-M
Small	ILO-S



Rivet Buster Upper Sleeve	RBP-US2101
Rivet Buster Lower Sleeve	RBP-LS2103
Rivet Buster Retainer Spring	RBP-RS2194
Rivet Buster Rubber Bumper	RBP-RB2104
Chipping Hammer Spring	CHR-SPRING



Compaction Equipment, Plate Compactors, Tampers and Rollers
1-800-782-6624 x www.bomag.com



Extension Cords, LED Lighting, Distribution Boxes and Accessories
1-800-678-3470 x www.southwire.com



Material Lifts, Gantries, Chain/Lever Hoists
1-800-678-3470 x www.southwire.com

K'ARCHER

Floor Scrubbers, Hot/Cold Pressure Washers, Sweepers
1-888-705-9444 x www.karcher.com



Mixers, Rail Saws, Scissor Lifts, Atrium Lifts, and Dumpers
1-800-678-3470 x www.imergroup.com



Oil, Propane and Gas Heaters
1-888-792-0374 x www.frost-fighteter.com



Electric and Gas Concrete Vibrators, Ceiling Grinders
1-800-533-9055 x www.oztec.com



Electric and Gas Pumps
1-800-451-2537 x www.tsurumicanada.com



Pneumatic Tools
330-677-8884 x katcotools.com



Dehumidifiers & Fans
1.800.932.3030 x dri-eaz.com



Air Movers, Van Axial Fans, Blowers & Fans
1.800.779.3267 x pinnacleclimate.com



Air Movers, Heaters, Pedestal Fans, Ducting
1-(800) 641-6996 x masterindustrialproducts.com



Scaffolding & Temporary Fencing
(604) 253-4351 x allrightladder.com



Utility Vehicles
1.800.258.2227 x clubcar.com



Diamond Tool and Equipment
1-800-688-1032 x diteq.com



Portable & Stationary Air Compressors
1.888.425.3669 x jennycompressors.com



Steel Bits for Paving Breakers, Chippers, Scalers, Electric Hammers, etc.
1.800.858.8831 x championchisel.com



Always Better.
Portable and Skid Compressors
1-704-943-7966 x elgi.com

MANUFACTURERS REPRESENTATIVE Providing the highest quality products for the rental and construction industry

FELIX PASQUA
OWNER
FELIXMS@TELUS.NET
604-351-9491

DREW WOOD
OWNER
ADMINMS@TELUS.NET
604-668-3850

CASSANDRA MACDONALD
GENERAL MANAGER
ADMINMS@TELUS.NET
604-355-8381

KEN HANSEN
SALES REP AB/MB
KENHANSEN2@ME.COM
403-280-9886

BILL BEAUMONT
SALES REP AB/SK
BILLMSSALES@GMAIL.COM
780-399-6104

MAX FOOKES
SALES AND MARKETING
MARKETINGMSSALES@GMAIL.COM
778-239-2450



MSSALES.LTD.CA
1(800)-451-2537
604-668-3850

Felix Pasqua
felixms@telus.net
604 - 351 - 9491

Cassandra MacDonald
adminms@telus.net
604 - 355 - 8381

Drew Wood
adminms@telus.net
604 - 668 - 3850

Bill Beaumont
billmssales@gmail.com
780 - 399 - 6104

Max Fookes
marketingmssales@gmail.com
778 - 239 - 2450